

**ILLUSTRATED PARTS CATALOG
FOR
IO-360,TSIO-360 & LTSIO-360
SERIES
AIRCRAFT ENGINES**

NOTICE

**Part numbers appearing herein are trademarks of
Teledyne Continental Motors**

**Courtesy of Bomar Flying Service
www.bomar.biz**

CURRENT STATUS OF PAGES AS OF
APRIL 1977

*THE ORIGINAL DATE OF THIS PUBLICATION IS AUGUST 1, 1970
 INSERT LATEST PAGES, DESTROY SUPERSEDED PAGES.*

MODELS 10-360, TS10-360 AND LTS10-360 PARTS CATALOG FORM NO. X30031A

PAGE	STATUS	PAGE	STATUS	PAGE	STATUS	PAGE	STATUS
I	APRIL 1977	3-8	APRIL 1977	6-1	APRIL 1977		
ii	APRIL 1977	3-9	APRIL 1977	6-2	APRIL 1977		
iii	APRIL 1977	3-10	APRIL 1977	6-3	APRIL 1977		
iv	APRIL 1977	3-11	APRIL 1977	6-4	APRIL 1977		
		3-12	APRIL 1977	6-5	APRIL 1977		
1-1	APRIL 1977	3-13	APRIL 1977	6-6	APRIL 1977		
1-2	AUGUST 1970	3-14	APRIL 1977	6-7	APRIL 1977		
1-3	JANUARY 1974	3-15	APRIL 1977	6-8	APRIL 1977		
1-4	JANUARY 1974	3-16	APRIL 1977				
1-5	JANUARY 1974	3-17	APRIL 1977				
1-6	JANUARY 1974	3-18	APRIL 1977	7-1	APRIL 1977		
		3-19	APRIL 1977	7-2	APRIL 1977		
2-1	APRIL 1977	3-20	APRIL 1977	7-3	APRIL 1977		
2-2	APRIL 1977	3-21	APRIL 1977	7-4	APRIL 1977		
2-3	APRIL 1977	3-22	APRIL 1977	7-5	APRIL 1977		
2-4	APRIL 1977	3-23	APRIL 1977	7-6	APRIL 1977		
2-5	APRIL 1977	3-24	APRIL 1977	7-7	APRIL 1977		
2-6	APRIL 1977	3-25	APRIL 1977	7-8	APRIL 1977		
2-7	APRIL 1977	3-26	APRIL 1977	7-9	APRIL 1977		
2-8	APRIL 1977	3-27	APRIL 1977	7-10	APRIL 1977		
2-9	APRIL 1977	3-28	APRIL 1977	7-11	APRIL 1977		
2-10	APRIL 1977	3-29	APRIL 1977				
2-11	APRIL 1977	3-30	APRIL 1977				
2-12	APRIL 1977	3-31	APRIL 1977				
2-13	APRIL 1977	3-32	APRIL 1977				
2-14	APRIL 1977	3-33	APRIL 1977				
2-15	APRIL 1977	3-34	APRIL 1977				
2-16	APRIL 1977	3-35	APRIL 1977				
2-17	APRIL 1977	3-36	APRIL 1977				
2-18	APRIL 1977	3-37	APRIL 1977				
2-19	APRIL 1977	3-38	APRIL 1977				
2-20	APRIL 1977	3-39	APRIL 1977				
2-21	APRIL 1977	3-40	APRIL 1977				
2-22	APRIL 1977	3-41	APRIL 1977				
2-23	APRIL 1977	3-42	APRIL 1977				
2-24	APRIL 1977	3-43	APRIL 1977				
2-25	APRIL 1977	3-44	APRIL 1977				
2-26	APRIL 1977	3-45	APRIL 1977				
2-27	APRIL 1977	3-46	APRIL 1977				
2-28	APRIL 1977	3-47	APRIL 1977				
		3-48	APRIL 1977				
		3-49	APRIL 1977				
3-1	APRIL 1977	3-50	APRIL 1977				
3-2	APRIL 1977	3-51	APRIL 1977				
3-3	APRIL 1977	4-1	APRIL 1977				
3-4	APRIL 1977	4-2	APRIL 1977				
3-5	APRIL 1977						
3-6	APRIL 1977	5-1		APRIL 1977			
3-7	APRIL 1977	5-2		BLANK			

TABLE OF CONTENTS

SECTION I

INTRODUCTION	1-1
ABBREVIATIONS AND SYMBOLS	1-2
ACCESSORY MANUFACTURERS	1-2
CUSTOMER SPECIFICATION TO SERIAL NUMBER CROSS REFERENCE	1-3

SECTION II – GROUP ASSEMBLY PARTS LIST - IO-360

Figure 1 - Crankcase Studding Assembly	2-2
Figure 2 - Crankcase Attaching Parts	2-4
Figure 3 - Crankcase Associated Parts	2-6
Figure 4 - Crankshaft Group	2-8
Figure 5 - Camshaft Assembly	2-10
Figure 6 - Connecting Rod Assembly	2-11
Figure 7 - Piston and Pin Assembly	2-11
Figure 8 - Cylinder Assembly	2-12
Figure 9 - Crankcase Cover Assembly	2-14
Figure 10 - Alternator Assembly	2-16
Figure 11 - Oil Sump Assembly	2-17
Figure 12 - Starter and Starter Adapter Assembly	2-18
Figure 13 - Starter and Starter Adapter Assembly	2-20
Figure 14 - Induction System	2-22
Figure 15 - Fuel Injection System	2-24
Figure 16 - Ignition System	2-26
Figure 17 - Magneto Drive Assembly	2-28

SECTION III – GROUP ASSEMBLY PARTS LIST - TSIO/LTSIO-360

Figure 18 - Crankcase Studding Assembly	3-2
Figure 19 - Crankcase Attaching Parts	3-4
Figure 20 - Crankcase Associated Parts	3-6
Figure 21 - Crankshaft Group	3-8
Figure 22 - Camshaft Group	3-10
Figure 23 - Connecting Rod Assembly	3-11
Figure 24 - Piston and Pin Assembly	3-11
Figure 25 - Cylinder Assembly	3-12
Figure 26 - Intercylinder Baffle Assembly	3-14
Figure 27 - Crankcase Cover Assembly	3-16
Figure 28 - Crankcase Cover Assembly	3-18
Figure 29 - Crankcase Cover Assembly	3-20
Figure 30 - Alternator Assembly	3-22
Figure 31 - Oil Sump Assembly	3-23
Figure 32 - Starter and Starter Adapter Assembly	3-24
Figure 33 - Starter and Starter Adapter Assembly	3-26
Figure 34 - Starter and Starter Adapter Assembly	3-28
Figure 35 - Starter and Starter Adapter Assembly	3-30
Figure 36 - Induction System	3-32
Figure 37 - Induction System	3-34
Figure 38 - Induction System	3-36
Figure 39 - Fuel Injection System	3-38
Figure 40 - Fuel Injection System	3-40
Figure 41 - Exhaust System	3-42
Figure 42 - Exhaust System	3-44
Figure 43 - Ignition System	3-46
Figure 44 - Kit, Freon Compressor	3-48
Figure 45 - Priming System	3-50
Figure 46 - Magneto Drive Assembly	3-52

SECTION IV OVERSIZE AND UNDERSIZE PARTS LIST.....	4-1
SECTION V REPAIR PARTS SETS AND MATERIALS	5-1
SECTION VI NUMERICAL PARTS LIST.....	6-1
SECTION VII - CUSTOMER SPECIFICATIONS - IO-360/TSIO-360	
IO-360-A.....	7-2
IO-360-C.....	7-3
IO-360-D.....	7-4
IO-360-G.....	7-6
IO-360-H.....	7-7
IO-360-J.....	7-8
TSIO-360-A.....	7-9
TSIO-360-B	7-10
TSIO-360-C	7-11

SECTION I

INTRODUCTION

1-1. In line with the Teledyne Continental Motors program of product improvement, this parts catalog is presented in looseleaf form. Changes will be issued as they occur to those pages which are affected only. In this manner, the parts catalogs will be kept current at all times with manufacturing and service requirements. Changes to this parts catalog will be sent to the purchaser on receipt of the registration card from the front of the manual.

1-2. Page ii of this publication depicts the current status of pages as of the date listed. Each page in the catalog is also dated. To be current, the date on the page should match the date listed for that page on the Status Page. With each change to the catalog issued, a change to the current Status Page will necessarily be issued.

1-3. In this edition, currently available parts are listed for IO-360 and TSIO-360 Series Engines. If accessories or parts attached to any engine installed in an aircraft manufactured in the United States under a production model number do not appear in this catalog, determine whether they are available from the aircraft manufacturer before placing an order with a Teledyne Continental Authorized Distributor.

1-4. Sections II & III contain 46 figures, in each of which one of the major assemblies or groups of the engine is illustrated in "exploded" form. Each figure has its own set of index numbers to indicate the sub-parts. The list of parts in the assembly or group appears on the same page with the illustration or on an adjacent page. The first column of each assembly group list contains the figure number (not repeated on all lines) and, following a dash, the index numbers of the sub-parts in numerical order. Do not order parts by index number. Use the part number, which appears in the second column. Use the name of the part which appears in the column under the title "DESCRIPTION".

1-5. Do not order any parts listed herein when "NO NUMBER" appears on the same line in the part number column or when "NOT SOLD" herein abbreviated as "NS" appears in the "QUANTITY PER ASSEMBLY" column, because these parts are not suitable for installation without factory equipment, or they are major parts of assemblies and are more economically supplied in the assembled condition, or they are assemblies which would have to be disassembled for installation. To replace any detail part "NOT SOLD" order the smallest assembly containing the part (listed above, with name beginning one column to left). To replace any assembly "NOT SOLD", order whatever subassemblies and detail parts (listed below it, with names indented) that are in need of replacement.

1-6. Quantities of parts, as listed in Sections II, & III, are for specific application in one assembly. Total quantities of all parts are listed in Section VI. Similar assemblies listed in Sections II & III are combined, and quantities of sub-parts are for one assembly.

1-7. Oversize and undersize parts are listed in Section IV. These parts must be ordered by the numbers listed herein, with correct descriptions, to avoid errors. Corresponding standard size part numbers in Section II & III are preceded by a symbol (+) to indicate the availability of the non-standard size. (Refer to list of abbreviations and symbols.)

1-8. Sets of parts listed in Section V are usually wanted in such groups of overhaul work and should be ordered by set part numbers.

1-9. Section VI contains a list of part numbers arranged in numerical order in the first column. If the number of any desired part is known the name may be located by referring to the figure and index number in Section II & III, which is listed opposite the part number in Section VI.

1-10. Section VII contains a parts listing of customer specifications of the basic engines of each model. Only the differences between the customer specification and the basic engine are shown. A specification number to serial number reference list is included to assist the mechanic in determining the engine spec on engines built prior to January 1972. On all engines shipped since that date, the specification number has been included on the engine data plate.

NOTE

The aircraft manufacturer occasionally changes certain accessories per customer request.

LIST OF ABBREVIATIONS AND SYMBOLS

SYMBOL	DEFINITION	SYMBOL	DEFINITION
AR	As Required	NS	Not Sold
dia.	Diameter	PD	Pitch Diameter (thread)
hd.	Head	RF	Reference
hex.	Hexagon(al)	NPT	National Pipe Tap (or thread)
exh.	Exhaust	NPTF	National Pipe Taper Thread (dryseal)
int.	Intake	US	Undersize
fil.	Fillister	No.	Number
ID	Inside Diameter	†	Oversize Parts Available
in.	Inch(es)	†	Undersize Parts Available
OD	Outside Diameter	* * * *	End of Group of Attaching Parts
OP	Optional	\$	Parts Included in a Set
OS	Oversize		

ACCESSORY MANUFACTURERS

ACCESSORY	MANUFACTURER	ADDRESS
Generator/Alternator	Ford	Ford Motor Company General Parts Division Ypsilanti, Michigan
	Prestolite	The Prestolite Company Division of Eltra Corporation 511 Hamilton Street Toledo, Ohio 43601
Starter	Delco-Remy	United Motors Service General Motors Bldg. Detroit, Michigan
	Prestolite	The Prestolite Company Division of Eltra Corporation 511 Hamilton Street Toledo, Ohio 43601
Magnetos	Scintilla	Scintilla Magneto Division, Bendix Aviation Corporation Sidney, New York 13838

CUSTOMER SPECIFICATION TO SERIAL NUMBER CROSS REFERENCE

IO-360-A

- SPEC. 1** 10000 thru 10006, 10008 thru 10012, 10014 thru 10021, 10023 thru 10381; 10420, 10468, 10477, 10478, 10488 thru 10490, 10518, 10519, 10522, 10523, 10526, 10528, 10531, 10535, 10541, 10549, 10552
- SPEC. 3** 10382 thru 10392, 10394 thru 10399, 10401, 10402, 10405 thru 10410, 10412, 10466
- SPEC. 5** 10400, 10413 thru 10417, 10419, 10421 thru 10425, 10427 thru 10437, 10439 thru 10441, 10443 thru 10465, 10467, 10469 thru 10476, 10479 thru 10485, 10487, 10491 thru 10511, 10513 thru 10517, 10521, 10524, 10527, 10529, 10530, 10532, 10536 thru 10540, 10542 thru 10548, 10550, 10551, 10553 thru 10560, 10563 thru 10565, 10568 thru 10570

IO-360-C

- SPEC. 1** 50001 thru 50147, 50149 thru 50270, 50272 thru 50374, 50377 thru 50440, 50442 thru 50447, 50449, 50450, 50453 thru 50472, 50474 thru 50531, 50533, 50539 thru 50541, 50544, 50546, 50680, 50732, 50735, 50736, 50784 thru 50786, 50793, 50836, 50837, 50867, 51025
- SPEC. 3** 50532, 50534 thru 50538, 50542, 50543, 50545, 50547, 50548, 50550 thru 50678, 50681 thru 50728, 50733, 50791, 50835, 50960 thru 50965, 51019, 51247, 51302
- SPEC. 4** 50729 thru 50731, 50734, 50737 thru 50777, 50779 thru 50782, 50788, 50789, 50794 thru 50834, 50840 thru 50854, 50856 thru 50866, 50868 thru 50878, 50880, 50881, 50884 thru 50891, 50893 thru 50929, 50931 thru 50955, 50957 thru 50959, 50967, 50969 thru 51018, 51020 thru 51024, 51026 thru 51059, 51061 thru 51150
- SPEC. 6** 51151 thru 51174, 51176 thru 51246, 51248 thru 51263, 51265 thru 51301, 51303, 51305 thru 51348, 51350 thru 51384, 51386 thru 51441, 51443 thru 51530, 51535 thru 51538, 51540, 51541, 51543 thru 51558, 51560 thru 51562, 51564 thru 51581, 51583, 51585 thru 51591, 51593 thru 51598, 51601 thru 51681, 51683, 51684, 51687 thru 51692, 51696 thru 51786, 51788 thru 51801, 51803 thru 51805, 51808 thru 51823, 51825 thru 51835, 51837 thru 51857, 51859 thru 51891, 51893 thru 51897, 51899 thru 51903, 51909 thru 51912, 51914 thru 51937, 51939 thru 51952, 51956

IO-360-D

- SPEC. 1** 55001 thru 55070, 55072 thru 55125, 55127 thru 55154, 55156 thru 55192, 55194 thru 55221, 55223 thru 55341, 55343 thru 55436, 55438 thru 55479, 55481, 55482, 55484 thru 55491, 55493 thru 55544, 55649, 55732, 55846, 55919, 55922, 55923, 55951, 55952, 56092, 56150
- SPEC. 5** 55545 thru 55581, 55583 thru 55599, 55640, 55642 thru 55644, 55646 thru 55648, 55650 thru 55652, 55655, 55656, 55658, 55660, 55661, 55666, 55667, 55673 thru 55680, 55682 thru 55685, 55725, 55726, 55729, 55730, 55831, 55841, 55843, 55844, 55890, 55891, 55905, 55953, 56002, 56151, 56152, 56658, 56723

- SPEC. 6** 55480, 55492, 55600 thru 55639, 55641, 55645, 55653, 55654, 55657, 55659, 55662 thru 55665, 55668 thru 55672, 55681, 55686 thru 55724, 55727, 55728, 55731, 55733 thru 55783, 55785 thru 55789, 55791 thru 55830, 55832 thru 55840, 55847 thru 55888, 55893 thru 55899, 55901 thru 55903, 55906 thru 55908, 55918, 55920, 55921, 55994, 55996 thru 56001, 56004, 56006, 56010, 56011, 56083 thru 56088, 56153, 56167, 56205, 56214, 56215, 56277, 56282, 56359, 56366, 56372, 56374, 56446, 56454 thru 56472, 56499 thru 56501, 56549 thru 56576, 56590 thru 56594, 56596 thru 56602, 56629 thru 56653, 56655 thru 56657, 56660, 56671 thru 56677, 56710, 56794, 56797 thru 56801, 56803, 56805, 56807, 56808, 56810 thru 56813, 56842, 56845 thru 56858, 56863 thru 56877, 56879 thru 56882, 56884, 56885, 57071 thru 57076, 57216, 57221, 57222, 57228 thru 57231, 57241 thru 57246, 57254, 57257, 57261, 57270, 57272, 57578, 57582 thru 57586, 57588, 57589, 57601, 57626 thru 57629, 57638 thru 57641, 57849, 57853 thru 57893, 57896 thru 57906, 57928, 57981, 57982, 57985, 57986, 57989, 57990, 57996, 58000, 58006 thru 58010, 58031 thru 58034, 58036 thru 58039, 58043, 58044, 58046, 58047, 58049 thru 58053, 58055 thru 58063, 58067, 58074 thru 58077, 58080 thru 58085
- SPEC. 7** 55911, 55915, 55924, 55926 thru 55932, 56003, 56005, 56007 thru 56009, 56079, 56100 thru 56103, 56107, 56108, 56229, 56230, 56391, 57972, 57984, 57987, 58035
- SPEC. 9** 55889, 55892, 55900, 55904, 55909, 55910, 55912 thru 55914, 55916, 55925, 55933 thru 55948, 55950, 55960 thru 55986, 55988, 55989, 55991 thru 55993, 56012 thru 56042, 56044 thru 56048, 56050 thru 56061, 56063 thru 56067, 56069, 56070, 56072 thru 56078, 56080 thru 56082, 56093, 56112 thru 56128, 56130 thru 56149, 56154 thru 56165, 56168 thru 56182, 56184 thru 56196, 56199 thru 56202, 56204, 56206, 56224 thru 56226, 56228, 56240 thru 56269, 56283 thru 56297, 56299 thru 56302, 56304 thru 56339, 56344 thru 56349, 56357, 56358, 56369, 56381, 56382, 56384, 56385, 56388 thru 56390, 56393, 56406 thru 56413, 56416 thru 56431, 56475, 56476, 56480, 56498, 56503 thru 56506, 56508 thru 56522, 56524 thru 56548, 56603 thru 56611, 56623, 56712, 56713, 56720, 56722, 56726, 56729, 56731, 56751
- SPEC. 11** 55949, 55954 thru 55959, 56089 thru 56091, 56094 thru 56099, 56129, 56166, 56197, 56198, 56203, 56207 thru 56213, 56231 thru 56239, 56270 thru 56273, 56275, 56340, 56342, 56343, 56350 thru 56356, 56380, 56394, 56432 thru 56437, 56439 thru 56442, 56450, 56477 thru 56479, 56481, 56682, 56683, 56685 thru 56692, 56704, 56705, 56719, 56724, 56725, 56727, 56732 thru 56740, 56742
- SPEC. 12** 56062, 56068, 56071, 56104 thru 56106, 56109 thru 56111, 56216 thru 56223, 56274, 56276 thru 56281, 56360, 56362 thru 56365, 56370, 56371, 56375, 56377 thru 56379, 56387, 56405, 56438, 56443 thru 56445, 56447 thru 56449, 56451, 56452, 56473, 56482 thru 56485, 56487, 56584 thru 56589, 56622, 56624, 57609
- SPEC. 15** 56721, 56730, 56859, 56860, 56895 thru 56907, 56915, 56919, 56925, 56926, 56928 thru 56950, 56953, 56960 thru 56963, 56970, 56972, 56973, 56976 thru 56978, 56980 thru 56983, 56985, 56994 thru 56997, 56999 thru 57010, 57016 thru 57018, 57020, 57028, 57029, 57032 thru 57035, 57037 thru 57059, 57062 thru 57064, 57067 thru 57070, 57077 thru 57089, 57091, 57092, 57094, 57111 thru 57121, 57126, 57168 thru 57171, 57174, 57175, 57178 thru 57202, 57213, 57215, 57218, 57220, 57223 thru 57227, 57232 thru 57240, 57255, 57256, 57259, 57260, 57263, 57265 thru 57269, 57271, 57275 thru 57280, 57287, 57288, 57291 thru 57299, 57301, 57303, 57318 thru 57326, 57332, 57334 thru 57362, 57366, 57368 thru 57370, 57372, 57373, 57399, 57410, 57411, 57414, 57415, 57418, 57421, 57422, 57424, 57427 thru 57429, 57438, 57442 thru 57460, 57462 thru 57471, 57474 thru 57482, 57484 thru 57505, 57507, 57523 thru 57525, 57528 thru 57531, 57536 thru 57538, 57540 thru 57542, 57546, 57547, 57551 thru 57561, 57563 thru 57567, 57569 thru 57572, 57575, 57577, 57579 thru 57581, 57587, 57590 thru 57592, 57594 thru 57596, 57600, 57602, 57605 thru 57608, 57611 thru 57625, 57630 thru 57637, 57642 thru 57658,

- 57660 thru 57668, 57671, 57674, 57677, 57678, 57681, 57684, 57685, 57687,
 57689 thru 57702, 57707, 57708, 57711 thru 57714, 57716 thru 57718, 57720 thru
 57745, 57747 thru 57783, 57785 thru 57796, 57798 thru 57808, 57810 thru 57826,
 57828, 57830, 57894
- SPEC. 16** 56361, 56367, 56368, 56376, 56383, 56386, 56392, 56486, 56488 thru 56497, 56507,
 56577 thru 56583, 56595, 56612 thru 56621, 56659, 56696, 56708, 56709, 57703 thru
 57706, 57709, 57710, 57715
- SPEC. 17** 56684, 56693, 56697 thru 56703, 56971, 56984, 56991, 56993, 57030, 57031, 57593,
 57597 thru 57599, 57603, 57604, 57610
- SPEC. 18** 56766 thru 56769, 56776, 56777, 56779 thru 56785, 56789, 56792, 56795, 56814 thru
 56819, 56824 thru 56830, 56839
- SPEC. 20** 56663 thru 56670, 56711, 56715 thru 56718, 56728, 56741, 56743 thru 56750,
 56752 thru 56755, 56759 thru 56765, 56772 thru 56775, 56778, 56788, 56793,
 56796, 56802, 56804, 56806, 56809, 56832, 56837, 56841, 56843, 56861, 56862,
 56878, 56883, 56886 thru 56894, 56908 thru 56914, 56918, 56920 thru 56924, 56927,
 56954 thru 56959, 56964, 56966, 56967, 56969, 56986 thru 56990, 56992, 57019,
 57021 thru 57027, 57151 thru 57165, 57167, 57172, 57173, 57203, 57206, 57211,
 57212, 57217, 57247 thru 57253, 57258, 57285, 57302, 57306 thru 57317, 57327 thru
 57331, 57333, 57389, 57395, 57405 thru 57409, 57412, 57413, 57417, 57430 thru
 57437, 57439 thru 57441, 57461, 57472, 57473, 57483, 57506, 57508 thru 57514,
 57516, 57518, 57521, 57522, 57526, 57527, 57532, 57534, 57535, 57539, 57543 thru
 57545, 57548 thru 57550, 57562, 57568, 57573, 57574, 57576, 57829, 57833, 57839
 thru 57848, 57851, 57852, 57909 thru 57922, 57931 thru 57938, 57961, 57963, 58048
- SPEC. 21** 56654, 56661, 56662, 56678 thru 56681, 56694, 56695, 56756 thru 56758, 56770, 56771,
 56791, 56833 thru 56836, 56916, 56917, 56974, 56979, 56998, 57127 thru 57129, 57784
- SPEC. 22** 57923 thru 57926
- SPEC. 24** 57090, 57093, 57095 thru 57101, 57103 thru 57110, 57122 thru 57125, 57135 thru 57150,
 57166, 57363 thru 57365, 57367, 57371, 57374, 57375, 57377 thru 57388, 57390 thru
 57394, 57396 thru 57398, 57400, 57669, 57670, 57672, 57673, 57675, 57679, 57680,
 57682, 57683, 57686, 57688, 57719, 57827, 57831
- SPEC. 26** 56951, 56952, 56965, 56968, 56975, 57011 thru 57015, 57036, 57060, 57061, 57065,
 57066, 57130 thru 57134, 57205, 57207 thru 57210, 57219, 57286, 57300, 57304,
 57305, 57376, 57401 thru 57404, 57419, 57420, 57423, 57425, 57426, 57515, 57517,
 57519, 57520, 57533, 57659
- SPEC. 30** 57939, 57999, 58001 thru 58005, 58011 thru 58013, 58016 thru 58026
- SPEC. 31** 57940 thru 57947, 57950, 57951, 57953 thru 57960, 57962, 57964 thru 57971, 57973,
 57974, 57976 thru 57980, 57991 thru 57995, 57997, 58014, 58015, 58027 thru 58030,
 58040, 58042, 58045, 58054, 58064 thru 58066, 58068 thru 58073, 58078, 58079

TSIO-360-A

- SPEC. 1** 184000 thru 184065
- SPEC. 2** 184066 thru 184077, 184079 thru 184082, 184084 thru 184139, 184141 thru 184228,
 184230 thru 184240, 184243 thru 184259
- SPEC. 3** 184260 thru 184527

TSIO-360-B

SPEC. 1 186000 thru 186016

SPEC. 2 186017 thru 186019, 186021, 186025

TSIO-360-C

SPEC. 1 221700 thru 221710, 221716 thru 221718, 221724 thru 221728, 221730 thru 221740,
221755 thru 221759, 221764, 221765, 221767, 221768, 221771 thru 221778, 221780 thru
221785, 221787, 221789 thru 221791, 221793 thru 221795, 221797 thru 221801, 221803,
221806, 221807, 221809, 221811 thru 221819

SPEC. 2 221711 thru 221715, 221719 thru 221723, 221729, 221741 thru 221754, 221760 thru
221763, 221766, 221769, 221770, 221779, 221786, 221788, 221792, 221796, 221802,
221804, 221805, 221808, 221810, 221820

SECTION II
GROUP ASSEMBLY PARTS LIST
FOR IO-360 BASIC AIRCRAFT ENGINE




FIGURE 1. CRANKCASE STUDDING ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			IO - 360							
A	C	D	G	H	J	K				
1-	640475	Studding Assembly, Crankcase	1	1	1	1	1	1	1	
	640479	Studding Assembly, Crankcase	1	1	1	1	1	1	1	
-1	629718	. Bushing, Starter	1	1	1	1	1	1	1	
-2	629720	. Dowel	1	1	1	1	1	1	1	
-3	200138	. Pin	1	1	1	1	1	1	1	
-4	21080	. Dowel	1	1	1	1	1	1	1	
-5	401801	† . Stud, 1/4 x 1-3/16 In. Long	14	14	14	14	14	14	14	
-6	401809	† . Stud, 5/16 x 1-3/8 In. Long	4	3	3	3	3	3	3	
-7	401814	† . Stud, 5/16 x 1-7/8	6	6	6	6	6	6	6	
-8	401933	† . Stud, 3/8 x 2-5/8 In. Long	1	1	1	1	1	1	1	
-9	401871	† . Stud, 3/8 x 2-1/4 In. Long	3	3	3	3	3	3	3	
-10	401945	† . Stud, 3/8 x 1-5/8 In. Long	4	4	4	4	4	4	4	
-11	402151	† Stud, 5/16 x 1-1/4 In. Long	4	4	4	4	4	4	4	
-12	402439	† . Stud, 5/16 x 2-5/8 In. Long	2	3	3	3	3	3	3	
-13	640017-1	. Stud, 3/8 x 1-7/8 In. Long	36	36	36	36	36	36	36	
-14	2024	. Plug, Pipe	1	1	1	1	1	1	1	
-15	AN932C4	. Plug, Pipe	2	2	2	2	2	2	2	
-16	629518-1H	. Plug, Pipe	1	1	1	1	1	1	1	
-17	629849	. Housing Assembly, Oil Gauge Rod	1	1	1	1	1	1	1	
-18	629847	. Nozzle Squirt	6	6	6	6	6	6	6	
-19	630204	. Breather Assembly	1	1	1	1	1	1	1	




FIGURE 2. CRANKCASE ATTACHING PARTS

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
2-	No Number	Crankcase Assembly Complete	ns	ns	ns	ns	ns	ns	ns	
-1	641944-5.86	Bolt, 7/16 - 20 x 5-7/8 In. Lg.C/C Thru	2	2	2	2	2	2	2	
-2	641944-9.25	Bolt, 7/16 - 20 x 9-1/4 In. Lg. C/C Thru	2	2	2	2	2	2	2	
-3	641944-10.18	Bolt, 7/16 - 20 x 10-3/16 In. Lg. C/C Thru	1	1	1	1	1	1	1	
-4	641944-10.55	Bolt, 7/16 - 20 x 10-35/64 In. Lg. C/C Thru	1	1	1	1	1	1	1	
-5	641944-10.68	Bolt, 7/16 - 20 x 10-11/16 In. Lg. C/C Thru	4	4	4	4	4	4	4	
-6	MS29513-010	\$ O-Ring	20	20	20	20	20	20	20	
-7	629758-12.90	Bolt, 3/8 - 24 x 12-29/32 In. Lg. C/C Thru	1	1	1	1	1	1	1	
-8	629758-12.60	Bolt, 3/8 - 24 x 12-39/64 In. Lg. C/C Thru	1	1	1	1	1	1	1	
-9	537466	Bolt, 3/8 - 24 x 8-13/16 In. Long	1	1	1	1	1	1	1	
-10	20522	Washer, Plain	12	12	12	12	12	12	12	
-11	AN4-13A	Bolt	6	6	6	6	6	6	6	
-12	2437	Nut, Plain	6	6	6	6	6	6	6	
-13	No Number	Manifold and Bracket Assembly	RF	RF	RF	RF	RF	RF	RF	

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
2-		ATTACHING PARTS								
-14	20522	. Washer, Plain	2	2	2	2	2	2	2	
-15	AN4-14A	. Screw, Hex Head 1/4 - 28 x 1-17/32 In. Lg.	1	1	1	1	1	1	1	
-16	2437	. Nut, Hex Head, 1/4 - 28	1	1	1	1	1	1	1	
		* * * *								
-17	24879	. Eye, Lifting	1	1	1	1	1	1	1	
		ATTACHING PARTS								
-18	25164	. Washer, Plain	2	2	2	2	2	2	2	
-19	20522	. Washer, Plain	2	2	2	2	2	2	2	
-20	AN4-15A	. Screw, Hex Head, 1/4 - 28 x 1-21/32 In. Lg.	1	1	1	1	1	1	1	
-21	24878	. Screw, Hex Head, 1/4 - 28 x 1-5/8 In. Lg.	1	1	1	1	1	1	1	
-22	2437	. Nut, Hex Head, 1/4 - 28	2	2	2	2	2	2	2	
		* * * *								
-23	629738	. Bracket, Throttle Body	2	2	2	2	2	2	2	
		ATTACHING PARTS								
-24	22139	. Washer, Plain	4	4	4	4	4	4	4	
-25	537728	. Screw, 1/4 - 28 x 1-25/32 In. Lg.	2	2	2	2	2	2	2	
-26	2437	. Nut	2	2	2	2	2	2	2	
		* * * *								
-27	20522	. Washer, Plain	2	2	2	2	2	2	2	
-28	631823-5.19	. Bolt	1	1	1	1	1	1	1	
-29	2437	. Nut	1	1	1	1	1	1	1	
-30	20522	. Washer, Plain	4	4	4	4	4	4	4	
-31	629728	. Screw	2	2	2	2	2	2	2	
-32	2437	. Nut, Plain	2	2	2	2	2	2	2	
-33	20202	. Washer, Plain	4	4	4	4	4	4	4	
-34	531001	. Nut, Flanged	4	4	4	4	4	4	4	
-35	401507	. Washer, Plain	4	4	4	4	4	4	4	
-36	2441	. Nut, Plain	4	4	4	4	4	4	4	




FIGURE 3. CRANKCASE ASSOCIATED PARTS

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
3-1	629636	Bracket, Engine Mounting	1	1	1	1	1	1	1	1
-2	637826	Bracket, Engine Mounting	1	1	1	1	1	1	1	1
-3	637827	Bracket, Engine Mounting	1	1	1	1	1	1	1	1
-4	629666	Bracket, Engine Mounting	1	1	1	1	1	1	1	1
ATTACHING PARTS										
-5	539058	Washer, Plain	8	8	8	8	8	8	8	8
-6	401507	Washer, Plain	4	4	4	4	4	4	4	4
-7	2441	Nut, Plain, 3/8 - 24	12	12	12	12	12	12	12	12
* * * *										
-8	641651	\$ Gasket, Governor Pad	1	1	1	1	1	1	1	1

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			IO - 360							
A	C	D	G	H	J	K				
3-9	639997	Cover, Governor Pad	1	1	1	1	1	1	1	
ATTACHING PARTS										
-10	22535	Spacer	8	8	8	8	8	8	8	
-11	2473	Washer, Plain	4	4	4	4	4	4	4	
-12	MS35338-45	Washer, Lock	4	4	4	4	4	4	4	
-13	2439	Nut, Plain	4	4	4	4	4	4	4	
* * * *										
-14	AN900-10 \$	Gasket	2	2	2	2	2	2	2	
-15	532432	Plug, Hex Head, 5/8 - 18	2	2	2	2	2	2	2	
No Number *		Rod Assembly, Oil Gauge Comp.	1	1	1	1	1	1	1	
-16	AN123860 \$. O-Ring	1	1	1	1				
-16	AN123861 \$. O-Ring	1	1	1	1	1	1	1	
-17	537299	Ring, Oil Gauge Lock	1	1	1	1	1	1	1	
-18	630688	Clamp, Oil Gauge Housing	1	1	1	1	1	1	1	
-19	630689	Bracket, Oil Gauge Support	1	1	1					
-19	641124	Bracket, Oil Gauge Support				1				
-20	AN500D8-12	Screw, Fillister Head	1	1	1	1	1	1	1	
-21	AN960-8	Washer, Plain	1	1	1	1	1	1	1	
-22	MS21044N08	Nut, Self Locking	1	1	1	1	1	1	1	
-23	634913 **	Plate, Identification	1							
-23	634915 **	Plate, Identification		1						
-23	634916 **	Plate, Identification			1					
-23	640192 **	Plate, Identification				1				
-23	640191 **	Plate, Identification					1			
-23	641705 **	Plate, Identification						1		
-23	641976 **	Plate, Identification							1	
ATTACHING PARTS										
-24	21007	Screw, Drive	6	6	6	6	6	6	6	
* * * *										
-25	632372 \$	Gasket, Oil Cooler	1	1	1	1	1	1	1	
-26	627392	Cooler Assembly, Oil	1							
-26	632886	Cooler Assembly, Oil		1	1	1	1	1	1	
ATTACHING PARTS										
-27	2472	Washer, Plain	8	8	8	8	8	8	8	
-28	MS35338-44	Washer, Lock	8	8	8	8	8	8	8	
-29	24835	Screw, 1/4 - 20 x 7/8 In. Lg.	8	8	8	8	8	8	8	
* * * *										
-30	639305	Valve, Temperature Control	1	1	1	1	1	1	1	
-31	632983	Shoe, Oil Cooler Bracket		1	1	1	1	1	1	
-32	632987-1.00	Bolt, Carriage		1	1	1	1	1	1	
-33	13XX18001	Nut, Hex		1	1	1	1	1	1	
* * * *										
-34	641361	Plate, Oil Seal Retainer							1	
-35	632321-.38	Bolt								4

NOTE (*) To order, supply engine model and spec.

NOTE (**) See Service Bulletin M75-12.




FIGURE 4. CRANKSHAFT GROUP

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
4-	639200 *	Crankshaft and Damper Assembly	1	1	1		1	1	1	1
	639786	Crankshaft and Damper Assembly				1	1	1	1	
-1	No Number	. Crankshaft Assembly	ns	ns	ns	ns	ns	ns	ns	
-2	639580 †*	. Bushing, Crankshaft Damper	4	4	4	4	4	4	4	4
	639199 *	. Counterweight Assembly	2	2	2	2	2	2	2	
-3	No Number	. Counterweight Assembly	ns	ns	ns	ns	ns	ns	ns	
-4	639198 *	. Bushing	4	4	4	4	4	4	4	4
-5	630261-41 *	. Pin, Counterweight	4	4	4					
-5	630261-43	. Pin, Counterweight				2	2	2	2	2
-6	630261-44	. Pin, Counterweight				2	2	2	2	2
-7	633976	. Plate, Retaining	8	8	8	8	8	8	8	8
-8	629004	. Ring, Retaining	8	8	8	8	8	8	8	8
-9	630651 †	Dowel	1	1	1	1	1	1	1	1
-10	632857 \$†	Bearing, Rear and Intermediate	6	6	6	6	6	6	6	6
-11	632885 \$†	Bearing, Front	2	2	2	2	2	2	2	2
-12	639640 †	Bearing, Connecting Rod	12	12	12	12	12	12	12	12
-13	632879 \$†	Packing	4	4	4	4	4	4	4	4
-14	637579	Washer, Thrust	4	4	4	4	4	4	4	4
-15	630690	Gear, Crankshaft Cluster	1	1	1	1	1	1	1	1
ATTACHING PARTS										
-16	630692	Screw	4	4	4	4	4	4	4	4
* * * *										
-17	530917	Seal Assembly	1	1	1	1	1	1	1	1
-18	530974	. Spring	1	1	1	1	1	1	1	1

NOTE (*) If old crankshaft and counterweight assembly, P/N 633527 is serviceable except for bushing or counterweight replacements, order crankshaft bushing P/N 626566 in place of 639580 (item 2); counterweight assembly number 629696 in place of 639199 (item 3); counterweight bushing P/N 626564 in place of 639198 (item 4) and counterweight pin P/N 630261-17 in place of 630261-41 (item 5).

CAUTION: These parts relationships must be maintained. Old and new parts cannot be intermixed. If there is doubt about the crankshaft identity, measure the inside diameter of the bushing hole in the blade on the crankshaft cheek. The hole in crankshaft 633527 should be 0.937/0.938. The hole in crankshaft 639200 should be 0.815/0.816.




FIGURE 5. CAMSHAFT ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
5-	No Number	Camshaft Assembly	ns	ns	ns	ns	ns	ns	ns	
-1	629627	. Camshaft	1							
-1	641060	. Camshaft		1	1	1	1	1	1	
-2	630562	. Gear, Camshaft	1							
-2	632477	. Gear, Camshaft		1	1	1	1	1	1	
		ATTACHING PARTS								
-3	630742	. Screw, 5/16 - 24 x 3/8 In. Lg.	4	4	4	4	4	4	4	
		* * * *								
-4	MS35756-8	. Key, Woodruff	1	1	1	1	1	1	1	
-5	629588	. Gear, Governor Drive	1	1	1	1	1	1	1	
-6	629602	Gear, Governor Driven	1	1	1	1	1	1	1	
-7	630265	Shaft, Fuel Pump Drive	1	1	1	1	1	1	1	
-8	633106	Lifter Assy., Hydraulic Valve	12	12	12	12	12	12	12	
-9	641862	. Ring, Snap	1	1	1	1	1	1	1	

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
6-	626168	Connecting Rod Assembly	6	6	6	6	6	6	6	
-1	No Number	. Rod and Cap, Connecting	ns	ns	ns	ns	ns	ns	ns	
-2	538684	. Bushing, Piston Pin	1	1	1	1	1	1	1	
-3	530213	. Bolt, Connecting Rod	2	2	2	2	2	2	2	
-4	626140	. Nut, Slotted, Special, 3/8 - 24	2	2	2	2	2	2	2	
-5	639292	Pin, Cotter	12	12	12	12	12	12	12	




FIGURE 6. CONNECTING ROD ASSEMBLY




FIGURE 7. PISTON AND PIN ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
7-1	630687	† Piston, 8.5:1 Compression Ratio	6	6	6	6	6	6	6	
-2	639570	† Ring, Top Groove	6	6	6	6	6	6	6	
-3	639579	† Ring, Second Groove	6	6	6	6	6	6	6	
-4	635964	† Ring, Oil Control	6	6	6	6	6	6	6	
-5	630678	† Ring, Fourth Groove	6	6	6	6	6	6	6	
-6	629690	Pin, Piston	6	6	6	6	6	6	6	




FIGURE 8. CYLINDER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY 10 - 360							
			A	C	D	G	H	J	K	
8-1	21477	Packing, Cylinder Base	6	6	6	6	6	6	6	
	No Number	Cylinder Assembly Complete	ns	ns	ns	ns	ns	ns	ns	
ATTACHING PARTS										
-2	531001	Nut, Flanged 7/16 - 20	12	12	12	12	12	12	12	12
-3	531003	Nut, Flanged 3/8 - 20	36	36	36	36	36	36	36	36
		* * * *								
	641370A1	. . Cylinder and Valve Assembly	1	1	1	1	1	1	1	1
	641370	. . Cylinder Assembly	1	1	1	1	1	1	1	1
-4	No Number	. . Head and Barrel	ns	ns	ns	ns	ns	ns	ns	ns
-5	635959	t . . Insert, Exhaust Valve Seat	1	1	1	1	1	1	1	1
-6	629702	t . . Insert, Intake Valve Seat	1	1	1	1	1	1	1	1
-7	630262	t . . Guide, Valve	1	1	1	1	1	1	1	1
-8	639282	t . . Guide, Valve	1	1	1	1	1	1	1	1
-9	520112	. . Insert, Spark Plug Hole	2	2	2	2	2	2	2	2
-10	401836	t . . Stud, 5/16 x 1-7/16 In. Long	2	2	2	2	2	2	2	2
-11	401801	t . . Stud, 1/4 x 1-3/16 In. Long	4	4	4	4	4	4	4	4
-12	402044	t . . Stud, 5/16 x 1-3/8 In. Long	2	2	2	2	2	2	2	2
-13	629707	. . Valve, Intake	1	1	1	1	1	1	1	1
-14	639283	. . Valve, Exhaust	1	1	1	1	1	1	1	1

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			IO - 360							
A	C	D	G	H	J	K				
8-15	625957	. . Spring, Inner	2	2	2	2	2	2	2	
-16	625958	. . Spring, Outer	2	2	2	2	2	2	2	
-17	24026	. . Retainer, Valve Spring	2	2	2	2	2	2	2	
-18	627732	. . Seat, Valve Spring, Intake Valve	1	1	1	1	1	1	1	
-19	631654	. . Roto Coil Assy., Exhaust Valve	1	1	1	1	1	1	1	
-20	627731	. . Key, Valve Spring	2	2	2	2	2	2	2	
-21	632068	. . Sleeve, Drain Connector	1	1	1	1	1	1	1	
	630476	. . Rocker Arm Assembly	2	2	2	2	2	2	2	
-22	No Number	. . Rocker Arm	ns	ns	ns	ns	ns	ns	ns	
-23	627693	. . Bushing	2	2	2	2	2	2	2	
-24	21007	. . Plug, Rocker Arm	1	1	1	1	1	1	1	
-25	627694	* . Shaft, Valve Rocker	2							
-26	631991	. . Shaft, Valve Rocker	2	2	2	2	2	2	2	
-27	628059	* . Retainer, Valve Rocker	2							
-28	631996	. . Retainer, Valve Rocker	4	4	4	4	4	4	4	
ATTACHING PARTS										
-29	501867	. . Washer, Tab	4	4	4	4	4	4	4	
-30	2437	. . Nut, Plain Hex	4	4	4	4	4	4	4	
		* * * *								
-31	632310	\$. Gasket, Rocker Cover	2	2	2	2	2	2	2	
-32	627593	** . Cover, Rocker	2							
-33	627593	** . Cover, Rocker	1	1	1	1	1	1	1	
	633019	** . Cover, Rocker, Cyl. No. 2 Int. Side	1	1	1	1	1	1	1	
-33	No Number	. . Cover	ns	ns	ns	ns	ns	ns	ns	
-34	MS122122	. . Insert Helical Coil	1	1	1	1	1	1	1	
ATTACHING PARTS										
-35	632440	. . Washer, Plain	8	8	8	8	8	8	8	
-36	MS35338-44	. . Washer, Lock	8	8	8	8	8	8	8	
-37	535091	. . Screw, Filister Head	8							
-37	535091	. . Screw, Filister Head	4	4	4	4	4	4	4	
-38	AN500D416-20	. . Screw	4	4	4	4	4	4	4	
		* * * *								
-39	630365	\$ Gasket, Exhaust Flange	6	6	6	6	6	6	6	
-40	22022	Nut, Plain Brass	12	12	12	12	12	12	12	
-41	632141	Housing, Push Rod	12	12	12	12	12	12	12	
-42	630286	\$ Gasket	12	12	12	12	12	12	12	
-43	632317	Spring	12	12	12	12	12	12	12	
-44	629711	Washer, Push Rod Housing	24	24	24	24	24	24	24	
-45	641607	\$ Seal, Push Rod Housing	12	12	12	12	12	12	12	
-46	630393	Push Rod Assembly	12	12	12	12	12	12	12	
-47	632137	Tube, Assembly, Cylinder Drain	2	2	2	2	2	2	2	
-48	632248	. . Seal	3	3	3	3	3	3	3	
-49	630057	Baffle, Cylinder Head	6	6	6	6	6	6	6	
-50	532377	Spring, Cylinder Baffle	6	6	6	6	6	6	6	

NOTE (*) Must be used with cast aluminum rocker box covers which were original equipment on early IO-360-A engines. See Service Bulletin M63-20 for correct installation.

NOTE (**) The IO-360-A uses twelve (12) 627593 rocker covers per engine. All others use eleven (11) 627593 rocker covers per engine and one (1) 633019 rocker cover assembly which is used on the No. 2 cylinder intake side only.




FIGURE 9. CRANKCASE COVER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY 10 - 360							
			A	C	D	G	H	J	K	
9- 1	530011 \$	Gasket, Crankcase, Cover-to-Crankcase	1	1	1	1	1	1	1	1
	No Number	Crankcase Cover Assembly, Complete	ns	ns	ns	ns	ns	ns	ns	ns
ATTACHING PARTS										
-2	2473	Washer, Plain	12	12	12	12	12	12	12	12
-3	MS35338-45	Washer, Lock	12	12	12	12	12	12	12	12
-4	2439	Nut, Plain, Hex Head, 5/16 - 24	7	7	7	7	7	7	7	7
-5	537961	Screw, Hex Head, 5/16 - 18 x 1 Inch Long	5	5	5	5	5	5	5	5
-6	539916	Screw, Hex Head, 5/16 - 24 x 3-1/4 Inch Long	1	1	1	1	1	1	1	*
	632346	. Crankcase Cover Assembly	1							
	640849	. Crankcase Cover Assembly		1	1	1	1	1	1	
	641798	. Crankcase Cover Assembly								1
	641801	. Crankcase Cover Assembly								ns
-7	No Number	. . Cover, Crankcase	ns	ns	ns	ns	ns	ns	ns	ns
-8	401809 t	. . Stud, 5/16 x 1-3/8 Inch Long	3	3	3	3	3	3	3	3
-9	401963 t	. . Stud, 1/4 x 1 Inch Long	3	3	3	3	3	3	3	3
-10	401926 t	. . Stud, 5/16 x 4 Inch Long	3							
-11	401885 t	. . Stud, 5/16 x 1-5/16 Inch Long	3	3	3	3	3	3	3	3
-12	MS122162	. . Insert, Thread	2	2	2	2	2	2	2	2
-13	MS122122	. . Insert, Thread	1	1	1	1	1	1	1	1
-14	627762	. . Bushing, Bronze	2	2	2	2	2	2	2	2
-14	627762	. . Bushing, Bronze	1	1	1	1	1	1	1	1
-15	632344	. . Tube, Oil Filler Neck	1	1	1	1	1	1	1	1
-15	632074	. . Tube, Oil Filler Neck	1	1	1	1	1	1	1	1
-16	629518-3H	. . Plug, 3/6 NPTF	2	2	2	2	2	2	2	2
-17	AN900-10 \$. . Gasket, Annular	1	1	1	1	1	1	1	1
-18	630415	. . Plug, Hex Head, 5/8 - 18	1	1	1	1	2	2	2	2
	629518-1H	. . Plug, 1/8 NPTF								

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			IO - 360							
A	C	D	G	H	J	K				
9-20	532432	. . . Plug, Hex Head, 5/8 - 18	1	1	1	1				
-20	630415	. . . Plug, Hex Head, 5/8 - 18	1	1	1	1	1	1	1	
-21	631687 *	. . Plunger, Oil Pressure Relief Valve	1	1	1	1	1	1	1	
-22	637083 *	. . Spring, Oil Pressure Relief Valve	1	1	1	1	1	1	1	
-22	539619	. . Spring, Oil Pressure Relief Valve	1	1	1	1	1	1	1	
-23	AN900-14 *	. . Gasket, Annular	1	1	1	1	1	1	1	
-24	21113 *	. . Cap, Oil Pressure Relief Valve	1	1	1		1			
-25	641074 **	. . Cap, Oil Pressure Relief Valve			1	1			1	
-26	641075 **	. . Screw, Relief Valve Adjusting			1	1			1	
-27	X1473 **	. . Washer, Plain			1	1			1	
-28	632762 **	. . Nut, Elastic Stop			1	1			1	
-29	631803	. . Gear, Oil Pump Drive	1							
-29	632497	. . Gear, Oil Pump Drive		1	1	1		1	1	1
-29	633602	. . Gear, Oil Pump Drive						1	1	1
	633610	. . Gear, Oil Pump Driven						1	1	1
-30	No Number	. . Gear					ns	ns	ns	
-31	633611	. . Bushing					1	1	1	
-32	631804	. . Gear, Oil Pump Drive	1							
-33	632492	. . Gear, Oil Pump Drive		1	1	1				
-34	631801	. . Cover, Oil Pump	1							
-34	632470	. . Cover, Oil Pump		1	1	1		1	1	1
-34	633612	. . Cover, Oil Pump								
ATTACHING PARTS										
-35	36025	. . Washer, Tab	4	4	4	4	4	4	4	4
-36	22537	. . Screw, Hex Head, 1/4 - 20 x 5/8 Inch Long	4							
-36	626487	. . Screw, Hex Head, 1/4 - 20 x 9/16 Inch Long		4	4	4	4	4	4	4
		* * * *								
-37	MS35756-1	. . Key, Woodruff		1	1	1	1	1	1	1
-38	632550	. . Gear, Oil Pump Drive		1	1	1	1			
-38	634010	. . Gear, Oil Pump Drive					1	1	1	
-39	632443-3	. . Nut, Oil Pump Drive Gear		1	1	1	1			
-40	641535-1RH	. . Connector, Tach Drive					1	1	1	
-41	36100 \$. . Gasket, Tach Drive Cover	1							
-41	632560 \$. . Gasket, Generator & O/P Drive Gear		1	1	1		1	1	1
-42	641538 \$. . Gasket, Tach Drive						1	1	1
-43	352066 \$. . Gasket, Generator						1	1	1
	641531	. . Adapter Assembly, Tach Drive						1	1	1
-44	No Number	. . Adapter, Tach Drive					ns	ns	ns	
-45	641533	. . Seal					1	1	1	
-46	631302	. . Cover, Tach Drive	1							
-46	632475	. . Cover, Oil Pump Gear		1	1	1				
ATTACHING PARTS										
-47	20522	. . Washer, Plain	3	3	3	3	3	3	3	3
-48	MS35338-44	. . Washer, Lock	3	3	3	3	3	3	3	3
-49	2437	. . Nut, Plain, 1/4 - 28	3	3	3	3	3	3	3	3
		* * * *								
-50	AN900-28 \$. . Gasket, Annular	1	1	1	1	1	1	1	1
-51	530003	. . Oil Screen Assembly	1	1	1	1	1	1	1	1
-52	AN900-10 \$. . Gasket, Annular	1	1	1	1	1	1	1	1
-53	532432	. . Plug, Hex Head, 5/8 - 18	1	1	1	1	1	1	1	1
-54	AN900-16 \$. . Gasket, Annular	1	1	1	1	1	1	1	1
-55	641835	. . Screen Assembly, Suction	1	1	1	1	1			

NOTE (*) These parts are located on the right side of the crankcase cover on the IO-360-A.

NOTE (**) These parts are optional on the IO-360-A, C, D & H.




FIGURE 10. ALTERNATOR ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
10-1	36100	\$ Gasket, Alternator	RF							
-1	632560	\$ Gasket, Alternator	ns	RF	RF	RF	RF	RF	RF	
	No Number	Alternator Assembly, 30 AMP 24 Volt	ns	ns	ns		ns			
	No Number	Alternator Assembly 38 AMP 28 Volt				ns	ns			
	No Number	Alternator Assembly 60 AMP, 15 Volt					ns	ns		
		ATTACHING PARTS								
-2	2473	Washer, Plain	3	3	3	3	3	3	3	
-3	21213	Nut, Elastic Stop	3	3	3	3	3	3	3	
		* * * *								
-4	629820	. Alternator, 30 AMP 24 Volt	1	1	1					
-4	633962	. Alternator, 38 AMP 28 Volt				1	1			
-4	633661	. Alternator, 60 AMP 15 Volt						1	1	
-5	AN123864	. O-Ring	1	1	1					
-6	352068	. Seal, Oil	1	1	1					
-7	530406	. Hub, Alternator Coupling	1	1	1	1	1	1	1	
-8	530407	. Sleeve	1	1	1	1	1	1	1	
-9	352030	. Retainer	1	1	1	1	1	1	1	
-10	632050	. Bushing	2	2	2	2	2	2	2	
-11	531325	. Gear, Alternator Drive	1	1	1	1	1	1	1	
-12	530412	. Nut, Slotted	1	1	1	1	1	1	1	
-13	639292	. Pin, Cotter	1	1	1	1	1	1	1	




FIGURE 11. OIL SUMP ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
11-1	641870 \$	Gasket, Oil Sump	1	1	1	1	1	1	1	
	No Number	Sump Assembly, Oil	ns	ns	ns	ns	ns	ns	ns	
ATTACHING PARTS										
-2	20522	Washer, Plain	14	14	14	14	14	14	14	14
-3	MS35338-44	Washer, Lock	14	14	14	14	14	14	14	14
-4	2437	Nut, Plain, Hex, 1/4 - 28	14	14	14	14	14	14	14	14
* * *										
	629671A2	. Oil Sump Assembly	1	1	1	1	1	1	1	
-5	No Number	. . Sump, Oil	ns	ns	ns	ns	ns	ns	ns	
-6	MS122122	. . Insert, Thread	5	5	5	5	5	5	5	5
-7	AN900-10 \$. . Gasket, Annular	1	1	1	1	1	1	1	
-8	2265	. . Plug, Oil Drain, 5/8 - 18	1	1	1	1	1	1	1	
-9	626264	. . Tube Assembly, Suction	1	1	1	1	1	1	1	




FIGURE 12. STARTER AND STARTER ADAPTER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
12-1	627993 \$ 635048A1	Gasket, Starter Adapter Adapter Assembly, Starter, Complete	1 1		1 1		1 1	1 1	1 1	
ATTACHING PARTS										
-2	628056	Bolt, Hex Head 5/16 - 24 x 5-13/32 In. Lg.	1		1		1	1	1	
-3	2473	Washer, Plain	2		2		2	2	2	
-4	MS35338-45	Washer, Lock	1		1		1	1	1	
-5	2439	Nut, Plain, 5/16 - 24	1		1		1	1	1	
-6	2473	Washer, Plain	3		3		3	3	3	
-7	MS35338-45	Washer, Lock	3		3		3	3	3	

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
12-8	2439	Nut, Plain, 5/16 - 24	3	3		3	3	3		
-9	627433	Bolt, 5/16 - 18 x 5-1/4 In. Lg.	2	2		2	2	2		
-10	538999	Bolt, 5/16 - 18 x 3-5/8 In. Lg.	1	1		1	1	1		
	635048	. . Adapter Assembly, Starter	1	1		1	1	1		
-11	No Number	. . Adapter and Sleeve Assembly	ns	ns		ns	ns	ns		
-12	402127	† . . Stud, 3/8 - 1-17/32 In. Lg.	1	1		1	1	1		
-13	401861	† . . Stud, 3/8 x 1-3/4 In. Lg.	1	1		1	1	1		
-14	402151	† . . Stud, 5/16 x 1-1/4 In. Lg.	1	1		1	1	1		
-15	627882	. . Dowel, 5/16 x 33/64 In. Lg.	2	2		2	2	2		
-16	641368	. . Bearing, Needle	1	1		1	1	1		
-17	627817	. . Shaftgear, Starter	1	1		1	1	1		
-18	630680	. . Bearing, Roller	1	1		1	1	1		
-19	627860	. . Gear, Starter	1	1		1	1	1		
-20	539800	. . Spring, Clutch	1	1		1	1	1		
ATTACHING PARTS										
-21	501867	. . Washer, Tab	1	1		1	1	1		
-22	633845	. . Screw, 1/4 - 20 x 11/32 In. Lg.	1	1		1	1	1		
* * * *										
-23	631252	. . Shaft, Worm Drive	1	1		1	1	1		
-24	536552	. . Spring, Worm Shaft	1	1		1	1	1		
-25	MS35756-8	. . Key, Woodruff	1	1		1	1	1		
-26	539805	. . Gear, Starter Worm	1	1		1	1	1		
-27	X13041	. . Bearing, Ball	1	1		1	1	1		
-28	502287	. . Ring, Retaining	1	1		1	1	1		
-29	AN123902 \$. . O-Ring	1	1		1	1	1		
	628071	. . Cover Assembly, Starter Adapter	1	1		1	1	1		
ATTACHING PARTS										
-30	2473	. . Washer, Plain	1	1		1	1	1		
-31	MS35338-45	. . Washer, Lock	1	1		1	1	1		
-32	2439	. . Nut, Plain	1	1		1	1	1		
* * * *										
-33	No Number	. . Cover, Starter Adapter	1	1		1	1	1		
-34	628125	. . Bushing	1	1		1	1	1		
-35	633280	. . Pin, Bushing	1	1		1	1	1		
-36	401963	† . . Stud, 1/4 x 1 In. Long	4	4		4	4	4		
-37	25102	\$. . Seal, Oil	1	1		1	1	1		
-38	MS9134-01 \$. . Gasket, Accessory Pad Cover	1	1		1	1	1		
-39	640380	. . Cover, Accessory Drive	1	1		1	1	1		
ATTACHING PARTS										
-40	2472	. . Washer, Plain	4	4		4	4	4		
-41	MS35338-44	. . Washer, Lock	4	4		4	4	4		
-42	2437	. . Nut, Plain Hex, 1/4 - 28	4	4		4	4	4		
* * * *										
-43	MS9021-038 \$	O-Ring	1	1		1	1	1		
-44	637847 *	Starter, 24 Volt	1	1		1	1	1		
-44	634592 *	Starter, 12 Volt						1		
ATTACHING PARTS										
-45	539058	Washer, Plain	2	2		2	2	2		
-46	2441	Nut, Plain	2	2		2	2	2		

NOTE (*) When replacing the Delco starter with the Prestolite, you will find it necessary to use two 402127 studs to the nearest oversize.




FIGURE 13. STARTER AND STARTER ADAPTER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			A	C	D	G	H	J	K	
13- 1	627993 \$ 635048A3	Gasket Adapter, Assembly, Str. & Accessory Dr. Complete	1	1		1				
		ATTACHING PARTS								
-2	628056	Bolt, Hex Head 5/16 - 24 x 5-13/32 Inch Long	1			1				
-3	2473	Washer, Plain	2			2				
-4	MS35338-45	Washer, Lock	1			1				
-5	2439	Nut, Plain Hex 5/16 - 24	1			1				
-6	2473	Washer, Plain	3			3				
-7	MS35338-45	Washer, Lock	3			3				
-8	627433	Bolt, Hex Head 5/16 - 18 x 5-1/4 Inch Long	2			2				
-9	538999	Bolt, Hex Head 5/16 x 3-5/8 Inch Long	1			1				
		* * * *								
	635048	. Adapter Assembly, Starter	1			1				
-10	No Number	. . Adapter and Sleeve Assembly	ns			ns				
-11	402127 †	. . Stud, 3/8 - 1 - 17/32 Inch Long	1			1				
-12	401861 †	. . Stud, 3/8 x 1-3/4 Inch Long	1			1				
-13	402151 †	. . Stud, 5/16 x 1-1/4 Inch Long	1			1				
-14	627882	. . Dowel, 5/16 x 33/64 Inch Long	2			2				
-15	641368	. Bearing, Needle	1			1				
-16	632615	. Shaftgear, Starter	1			1				

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			IO - 360							
A	C	D	G	H	J	K				
13-17	MS35756-8	. Key, Woodruff	1		1					
-18	630680	. Bearing, Roller	1		1					
-19	627860	. Gear, Starter, Worm Wheel	1		1					
-20	539800	. Spring, Clutch	1		1					
		ATTACHING PARTS								
-21	501867	. Washer, Tab	1		1					
-22	633845	. Screw, 1/4 - 20 x 11/32 Inch Long	1	*	1					
		* * * *								
-23	631252	. Shaft, Worm Drive	1		1					
-24	536552	. Spring, Worm Shaft	1		1					
-25	MS35756-8	. Key, Woodruff	1		1					
-26	539805	. Gear, Starter Worm	1		1					
-27	X13041	. Bearing, Ball	1		1					
-28	502287	. Ring, Retaining	1		1					
-29	AN123902 \$. O-Ring	1		1					
	632407	. Adapter Assembly, Accessory Drive	1		1					
		ATTACHING PARTS								
-30	2473	. Washer, Plain	1		1					
-31	MS35338-45	. Washer, Lock	1		1					
-32	2439	. Nut, Plain, Hex	1	*	1					
		* * * *								
-33	No Number	. Adapter Accessory Drive	ns		ns					
-34	632409	. Bushing, 25/32 I.D.	1		1					
-35	632410	. Bushing, 1-3/64 I.D.	1		1					
-36	632411	. Bushing, 7/8 I.D.	1		1					
-37	632412 \$. Seal, Oil	1		1					
-38	25102 \$. Seal, Oil	1		1					
-39	628249-5	. Ball, Carbon Steel	2		2					
-40	401870 †	. Stud, 1/4 x 1-1/8 Inch Long	8		8					
-41	402941	. Plug, 1/16 - 27 NPTF	1		1					
-42	632617	. Gear, Bevel, Accessory Drive	1		1					
-43	632613	. Shaftgear, Accessory Drive	1		1					
-44	MS20066-98	. Key, Machine, 1/2 Inch Long	1		1					
-45	632612	. Gear, Bevel, Accessory Driven	1		1					
-46	522247	. Ring, Retaining	1		1					
-47	633752	. Gasket, Cover Adapter	1		1					
-48	633751	. Cover, Adapter Accessory Drive	1		1					
		ATTACHING PARTS								
-49	2472	. Washer, Plain	4		4					
-50	MS35338-44	. Washer, Lock	4		4					
-51	535631	. Screw, 1/4 - 20 x 1 Inch Long	4	*	4					
		* * * *								
-52	MS9134-01 \$. Gasket, Accessory Pad Cover	1		1					
-53	640380	. Cover, Accessory Drive	1		1					
		ATTACHING PARTS								
-54	20522	. Washer, Plain	8		8					
-55	MS35338-44	. Washer, Lock	8		8					
-56	2437	. Nut, Plain, Hex 1/4 - 28	8	*	8					
		* * * *								
-57	MS9021-038 \$	O-Ring	1		1					
-58	637847 *	Starter, 24 Volt	1		1					
		ATTACHING PARTS								
-59	539058	. Washer, Plain	2		2					
-60	2441	. Nut, Plain	2		2					

NOTE (*) When replacing the Delco starter with the Prestolite, you will find it necessary to use two 402127 studs to the nearest oversize.




FIGURE 14. INDUCTION SYSTEM

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			IO - 360							
A	C	D	G	H	J	K				
14-1	629925 \$	Gasket, Intake Manifold	6	6	6	6	6	6	6	
-2	629873	Tube Assembly, Intake Man. No. 1 Cylinder	1	1	1	1	1	1	1	
-3	629864	Tube Assembly, Intake Man. No. 3 & 4 Cylinder	2	2	2	2	2	2	2	
-4	631874	Tube Assembly, Intake Man. No. 5 Cylinder	1	1	1	1	1	1	1	
-5	629872	Tube Assembly, Intake Man. No. 2 Cylinder	1	1	1	1	1	1	1	
-6	631875	Tube Assembly, Intake Man. No. 6 Cylinder	1	1	1	1	1	1	1	
ATTACHING PARTS										
-7	AN960-516L	Washer, Plain	12	12	12	12	12	12	12	12
-8	MS35338-45	Washer, Lock	12	12	12	12	12	12	12	12
-9	2439	Nut, Plain 5/16 - 24	12	12	12	12	12	12	12	12
* * * *										
-10	36151E	Clamp, Hose	10	10	10	10	10	10	10	10
-11	AN737TW82	Clamp, Hose Throttle Body	2	2	2	2	2	2	2	2
-12	24827 \$	Hose, Tube Connector	6	6	6	6	6	6	6	6
-13	No Number	Air Throttle and Fuel Metering Assembly	ns	ns	ns	ns	ns	ns	ns	ns
ATTACHING PARTS										
-14	537728	Screw, Hex Head 1/4 - 28 x 1-25/32 In. Lg.	2	2	2	2	2	2	2	2
-15	2437	Nut, Plain Hex, 1/4 - 28	2	2	2	2	2	2	2	2
* * * *										




FIGURE 15. FUEL INJECTION SYSTEM

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360							
			A	C	D	G	H	J	K	
15-1	632945 \$	Gasket, Fuel Pump to C/C	1	1	1	1	1	1	1	
	639230A2	Fuel Injection Assembly	1							
	639231A2	Fuel Injection Assembly		1	1	1	1	1	1	
	638157-2A1	. Fuel Pump Assembly	1	1	1	1	1	1	1	
		ATTACHING PARTS								
-2	2473	. Washer, Plain Hex	4	4	4	4	4	4	4	
-3	MS35338-45	. Washer, Lock	4	4	4	4	4	4	4	
-4	2439	. Nut, Plain Hex	4	4	4	4	4	4	4	
		* * * *								
-5	No Number	. . Fuel Pump	ns	ns	ns	ns	ns	ns	ns	
-6	630146-4	. . Lever, Throttle Mixture Cont.	1	1	1	1	1	1	1	
-7	2457	. . Nut, 5/16 - 24, Castle	1	1	1	1	1	1	1	
-8	X604	. . Pin, Cotter	1	1	1	1	1	1	1	
-9	628475	. . Elbow, 90 Degree, F/P Inlet	1	1	1	1	1	1	1	
-10	627119	. . Elbow, 90 Degree, F/P Outlet	1	1	1	1	1	1	1	
-11	628436	. . Elbow, 45 Degree, F/P Outlet	1	1	1	1	1	1	1	
-12	628437	. . Elbow, 90 Degree, Vapor Return	1	1	1	1	1	1	1	
-13	628438	. . Fitting, Seal Drain	1	1	1	1	1	1	1	
-14	640563-2A1 *	. . Throttle and Control Assembly	1	1	1	1	1	1	1	
-15	No Number	. . Throttle Assembly	ns	ns	ns	ns	ns	ns	ns	
-16	630146-2	. . Lever, Throttle Mixture Control	1	1	1	1	1	1	1	
-17	MS21044N5	. . Nut, Self-Locking	1	1	1	1	1	1	1	
-18	639495	. . Fitting, Tee, Fuel Inlet	1	1	1	1	1	1	1	
-19	628437	. . Elbow, 90 Degree, Fuel Outlet	1	1	1	1	1	1	1	
-20	629518-1H	. . Plug	1	1	1	1	1	1	1	
	635158-16.00	. . Hose Assembly, Met. Unit-To-F/P	1	1	1	1	1	1	1	

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY								
			IO - 360								
			A	C	D	G	H	J	K		
15-21	635158-14.00	. Hose Assembly, Met. Unit-To-M/V	1	1	1	1	1	1	1		
	631351A5	. Valve Assembly Fuel Manifold	1								
	631351A7	. Valve Assembly Fuel Manifold		1	1	1	1	1	1	1	
-22	No Number	. . Valve Assembly	ns	ns	ns	ns	ns	ns	ns		
-23	633954	. . Bracket, Manifold Valve	1	1	1	1	1	1	1		
ATTACHING PARTS											
-24	MS35338-43	. . Washer, Lock	2	2	2	2	2	2	2	2	
-25	AN500-10-5	. . Screw	2	2	2	2	2	2	2	2	
		* * * *									
-26	628437	. . Elbow, 90 Degree, Fuel Inlet	1	1	1	1	1	1	1	1	
-27	AN780-2	. . Nipple, Union	2	2	2	2	2	2	2	2	
-28	627331	. . Elbow, 45 Degree	4	4	4	4	4	4	4	4	
-29	631720	. . Elbow, 90 Degree, Pres. Conn.	1								
-29	629518-1H	. . Plug, Pressure Conn.		1	1	1	1	1	1	1	
-30	631330	. . Seal	1	1	1	1	1	1	1	1	
-31	626557	. . Screen	1	1	1	1	1	1	1	1	
-32	630184	. . Spring	1	1	1	1	1	1	1	1	
-33	626553	. . Cover	1	1	1	1	1	1	1	1	
ATTACHING PARTS											
-34	AN500A8-10	. . Screw	4	4	4	4	4	4	4	4	
		* * * *									
-35	630657	. . Tube Assembly, Fuel, Cylinder No. 1	1	1	1	1	1	1	1	1	
-35	630658	. . Tube Assembly, Fuel, Cylinder No. 2	1	1	1	1	1	1	1	1	
-35	630659	. . Tube Assembly, Fuel, Cylinder No. 3	1	1	1	1	1	1	1	1	
-35	630660	. . Tube Assembly, Fuel, Cylinder No. 4	1	1	1	1	1	1	1	1	
-35	630661	. . Tube Assembly, Fuel, Cylinder No. 5	1	1	1	1	1	1	1	1	
-35	630662	. . Tube Assembly, Fuel, Cylinder No. 6	1	1	1	1	1	1	1	1	
-36	632147-10 @	. . Nozzle Assembly	1	1	1	1	1	1	1	1	

NOTE (*) For detail parts, see Fuel Injection System Overhaul Manual and Parts Catalog, Form No. X-30091.

NOTE (@) Order nozzle size identified on hex of nozzle body.




FIGURE 16. IGNITION SYSTEM

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY 10 - 360							
			A	C	D	G	H	J	K	
16-1	534750	\$ Gasket, Magneto	2	2	2	2	2	2	2	
-2	640838	Magneto, Bendix	2	2	2		2	2	2	
-2	640838	Magneto, Bendix 2-4-6 Side				1				
-2	640839	Magneto, Bendix 1-3-5 Side				1				
ATTACHING PARTS										
-3	630535	Washer, Magneto Holding	4	4	4	4	4	4	4	
-4	MS35338-45	Washer, Lock	4	4	4	4	4	4	4	
-5	2439	Nut, Plain Hex 5/16 - 24	4	4	4	4	4	4	4	
*										
-6	632512	Spark Plug	12	12	12		12	12	12	
-6	630049	Spark Plug				12				
636955		Harness Assembly Complete	1							
636950		Harness Assembly Complete		1	1	1	1	1	1	

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			A	C	D	G	H	J	K	
16		ATTACHING PARTS								
-7	25321	Washer, Lock	8	8	8	8	8	8	8	
-8	AN501-10-10	Screw	8	8	8	8	8	8	8	
		* * * *								
-9	637409-48	* . Cable Assembly No. 1 Upper 27.81 In Lg.	1							
-9	637409-48	* . Cable Assembly No. 1 Upper 28.00 In Lg.		1	1	1	1	1	1	1
-10	637409-48	* . Cable Assembly No. 1 Lower 35.81 In. Lg.	1							
-10	637409-48	* . Cable Assembly No. 1 Lower 33.50 In. Lg.		1	1	1	1	1	1	1
-11	637409-48	* . Cable Assembly No. 2 Upper 32.81 In. Lg.	1							
-11	637409-48	* . Cable Assembly No. 2 Upper 34.00 In. Lg.		1	1	1	1	1	1	1
-12	637409-48	* . Cable Assembly No. 2 Lower 37.81 In. Lg.	1							
-12	637409-48	* . Cable Assembly No. 2 Lower 32.38 In. Lg.		1	1	1	1	1	1	1
-13	637409-48	* . Cable Assembly No. 3 Upper 33.81 In. Lg.	1							
-13	637409-48	* . Cable Assembly No. 3 Upper 34.75 In. Lg.		1	1	1	1	1	1	1
-14	637409-48	* . Cable Assembly No. 3 Lower 42.81 In. Lg.	1							
-14	637409-48	* . Cable Assembly No. 3 Lower 44.50 In. Lg.		1	1	1	1	1	1	1
-15	637409-48	* . Cable Assembly No. 4 Upper 37.81 In. Lg.	1							
-15	637409-48	* . Cable Assembly No. 4 Upper 40.15 In. Lg.		1	1	1	1	1	1	1
-16	637409-48	* . Cable Assembly No. 4 Lower 45.81 In. Lg.	1							
-16	637409-48	* . Cable Assembly No. 4 Lower 46.63 In. Lg.		1	1	1	1	1	1	1
-17	637409-48	* . Cable Assembly No. 5 Upper 39.31 In. Lg.	1							
-17	637409-48	* . Cable Assembly No. 5 Upper 38.38 In. Lg.		1	1	1	1	1	1	1
-18	637409-48	* . Cable Assembly No. 5 Lower 46.81 In. Lg.	1							
-18	637409-72	* . Cable Assembly No. 5 Lower 50.75 In. Lg.		1	1	1	1	1	1	1
-19	637409-48	* . Cable Assembly No. 6 Upper 42.31 In. Lg.	1							
-19	637409-40	* . Cable Assembly No. 6 Upper 44.51 In. Lg.		1	1	1	1	1	1	1
-20	637409-72	* . Cable Assembly No. 6 Lower 50.81 In. Lg.	1							
-20	637409-72	* . Cable Assembly No. 6 Lower 55.00 In. Lg.		1	1	1	1	1	1	1
-21	629506	. Spring, Spark Plug Terminal		1	1	1	1	1	1	1
-22	633089	** . Terminal, Crimp Type		1	1	1	1	1	1	1
-23	629505	. Sleeve, Spark Plug Terminal		1	1	1	1	1	1	1
-24	629504	. Spring		1	1	1	1	1	1	1
-25	633096	** . Ferrule		1	1	1	1	1	1	1
-26	629502	. Nut, Spark Plug End		1	1	1	1	1	1	1
-27	633012	** . Ferrule, Grounding		1	1	1	1	1	1	1
-28	633009	. Plate, Cable Outlet		1	1	1	1	1	1	1
-29	629498	. Ferrule, Cable		6	6	6	6	6	6	6
-30	629496	. Grommet, Plate		1	1	1	1	1	1	1
-31	629495	. Eyelet, Cable Contact		6	6	6	6	6	6	6
-32	629494	. Strap		10	10	10	10	10	10	10
-33	635982-1	. Clamp		2	2	2	2	2	2	2
-34	635360	. Screw		2	2	2	2	2	2	2
-35	631739	. Clamp		2	2	2	2	2	2	2
-36	631738-1	. Clamp		2	2	2	2	2	2	2
-37	631737-1	. Clamp		2	2	2	2	2	2	2
-38	352024	Kit, Ground Terminal		1	1	1	1	1	1	1
-39	25314	. Washer, Plain		1	1	1	1	1	1	1
-40	530455	. Sleeve, Insulating		1	1	1	1	1	1	1
-41	25316	. Ferrule, Inner		1	1	1	1	1	1	1
-42	25317	. Ferrule, Outer		1	1	1	1	1	1	1
-43	25318	. Nut, Hex, Coupling		1	1	1	1	1	1	1

NOTE (*) Service leads furnished in two lengths which are terminated on spark plug end only. Cut to size specified in description column.

NOTE (***) Service sleeves - Use Thomas and Betts Crimping Tool, No. WT-217.

CAUTION: Each lead requires one (1) each 629498 ferrule and 629495 eyelet to complete a cable assembly.




FIGURE 17. MAGNETO DRIVE ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY IO - 360								
			A	C	D	G	H	J	K		
17-	630529	Shaft Assembly, Mag Gear Supt.	2	2	2	2	2	2	2	2	
ATTACHING PARTS											
.1	633840	Nut, Cone Lok	2	2	2	2	2	2	2	2	
		* * * *									
.2	No Number	. Shaft, Magneto Gear Supt.	ns	ns	ns	ns	ns	ns	ns	ns	
.3	625495-7	. Pin, Roll	1	1	1	1	1	1	1	1	
	630525	Gear Assembly, Magneto	2	2	2	2	2	2	2	2	
.4	No Number	. Gear, Magneto Drive	ns	ns	ns	ns	ns	ns	ns	ns	
.5	630523	. Washer, Thrust	1	1	1	1	1	1	1	1	
.6	531177	. Sleeve, Magneto Coupling	1	1	1	1	1	1	1	1	
.7	633609-18	. Bearing, Magneto Gear	1	1	1	1	1	1	1	1	
.8	531178	Retainer, Magneto Coupling	2	2	2	2	2	2	2	2	
.9	638172	Bushing, Magneto Coupling	4	4	4	4	4	4	4	4	

SECTION III
GROUP ASSEMBLY PARTS LIST FOR
TSIO/LTSIO-360 BASIC AIRCRAFT ENGINE




FIGURE 18. CRANKCASE STUDDING ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY								
			TSIO-360				LTSIO-360				
A	B	C	D	E	F	G	H	I	J		
18-	640475	Studding Assembly, Crankcase	1	1	1	1					
	640857	Studding Assembly, Crankcase					1	1			
	640861	Studding Assembly, Crankcase								1	
-1	629718	. Bushing, Starter	1	1	1	1	1	1			1
-2	629720	. Dowel	1	1	1	1	1	1			1
-3	200138	. Pin	1	1	1	1					
-3	24846	. Pin					1	1			1
-4	21080	. Dowel	1	1	1	1	1	1			1
-5	401801	† . Stud, 1/4 x 1-3/16 In. Lg.	14	14	14	14	14	14			14
-6	401809	† . Stud, 5/16 x 1-3/8 In. Lg.	3	3	3	3	3	3			3
-7	401814	† . Stud, 5/16 x 1-7/8	6	6	6	6	6	6			6
-8	401862	† . Stud, 3/8 x 2-7/8 In. Lg.					1	1			1
-8	401933	† . Stud, 3/8 x 2-5/8 In. Lg.	1	1	1	1					

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						E
			TSIO-360			LTSIO-360			
A	B	C	D	E	F	G	H		
18-9	401871	. Stud, 3/8 x 2-1/4 In. Lg.	3	3	3	3			3
-9	401944	. Stud, 3/8 x 2-7/16 In. Lg.				3	3		
-10	402066	. Stud, 3/8 x 1-7/8 In. Lg.			4	4	4		4
-10	401945	. Stud, 3/8 x 1-5/8 In. Lg.	4	4	4	4	4		4
-11	402151	. Stud, 5/16 x 1-1/4 In. Lg.	4	4	4	4	4		4
-12	402439	. Stud, 5/16 x 2-5/8 In. Lg.	3	3	3	3	3		3
-13	640017-1	. Stud, 3/8 x 1-7/8 In. Lg.	36	36	36	36	36	36	36
-14	2024	. Plug, Pipe	1	1	1	1	1	1	1
-15	AN932C4	. Plug, Pipe	2	2	2	2	2	2	2
-16	629518-1H	. Plug, Pipe	1	1	1	1	1	1	1
-17	629849	. Housing Assembly, Oil Gauge Rod	1	1	1	1			
-17	641034	. Housing Assembly, Oil Gauge Rod					1	1	1
-18	629847	. Nozzle, Squirt	6	6	6	6			
-18	633874	. Nozzle, Squirt					6	6	6
-19	630204	. Breather Assembly	1	1	1	1	1	1	1




FIGURE 19. CRANKCASE ATTACHING PARTS

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360			LTSIO-360			
A	B	C	D	E	F	G	H	I	
19-	No Number	Crankcase Assembly Complete	ns	ns	ns	ns	ns	ns	ns
-1	641944-5.86	. Bolt, 7/16 - 20 x 5-7/8 In. Lg. C/C Thru	2	2	2	2	2	2	2
-2	641944-9.25	. Bolt, 7/16 - 20 x 9-1/4 In. Lg. C/C Thru	2	2	2	2	2	2	2
-3	641944-10.18	. Bolt, 7/16 - 20 x 10-3/16 In. Lg. C/C Thru	1	1	1	1	1	1	1
-4	641944-10.55	. Bolt, 7/16 - 20 x 10-35/67 In. Lg. C/C Thru	1	1	1	1	1	1	1
-5	641944-10.68	. Bolt, 7/16 - 20 x 10-11/16 In. Lg. C/C Thru	4	4	4	4	4	4	4
-6	MS29513-010	\$ O-Ring	20	20	20	20	20	20	20
-7	629758-12.90	. Bolt, 3/8 - 24 x 12-29/32 In. Lg. C/C Thru	1	1	1	1	1	1	1
-7	640962-1	. Bolt, Thru, 3/8 - 24 x 13.30 In. Lg.							
-8	629758-12.60	. Bolt, 3/8 - 24 x 12-39/64 In. Lg. C/C Thru	1	1	1	1	1	1	1
-8	640962-2	. Bolt, Thru, 3/8 - 24 x 13.00 In. Lg.							
-9	537466	. Bolt, 3/8 - 24 x 8-13/16 In. Lg.							
-9	537466-1	. Bolt, 3/8 - 24 x 9-13/16 In. Lg.	1	1	1	1	1	1	1
-10	20522	. Washer, Plain	10	10	10	10	10	10	10
-11	AN4-13A	. Bolt	5	5	4	4	4	4	4
-11	21176	. Screw							
-12	2437	. Nut, Plain, Hex	5	5	5	5	5	5	5
-13	No Number	. Manifold and Bracket Assembly	RF	RF	RF	RF	RF	RF	RF

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY					
			TSIO-360			LTSIO-360		
A	B	C	D	E	F	G	H	
ATTACHING PARTS								
-14	20522	. Washer, Plain	2	2	2	2	2	2
-15	AN4-14A	. Screw, Hex Head 1/4 - 28 x 1-17/32 In. Lg.	1	1		1	1	1
-15	AN4-13A	. Screw, Hex Head 1/4 - 28 x 1-13/32 In. Lg.		1		1	1	1
-16	2437	. Nut, Hex Head, 1/4 - 28	1	1	1	1	1	1
		* * * *						
-17	24879	. Eye, Lifting	1	1				
-17	639279	. Eye, Lifting		1	1	1	1	1
ATTACHING PARTS								
-18	25164	. Washer, Plain	2	2				
-19	20522	. Washer, Plain	2	2	3	3	3	3
-20	AN4-15A	. Screw, Hex Head, 1/4 - 28 x 1-21/32 In. Lg.			1	1		
-20	537728	. Screw, Hex Head, 1/4 - 28 x 1-25/32 In. Lg.	1	1				
-20	AN4-14A	. Screw, Hex Head, 1/4 - 28 x 1-17/32 In. Lg.					1	1
-21	537728	. Screw, Hex Head, 1/4 - 28 x 1-25/32 In. Lg.	1	1				
-21	AN4-15A	. Screw, Hex Head, 1/4 - 28 x 1-21/32 In. Lg.			1	1		
-21	AN4-14A	. Screw, Hex Head, 1/4 - 28 x 1-17/32 In. Lg.				1	1	1
-22	2437	. Nut, Hex Head, 1/4 - 28	2	2	2	2	2	2
		* * * *						
-23	629738	. Bracket, Throttle Body	2	2		2	2	2
-24	640759	. Bracket, Throttle Body			1	1		
-25	640758	. Bracket, Throttle Body			1	1		
ATTACHING PARTS								
-26	22139	. Washer, Plain	4	4			4	4
-26	22139	. Washer, Plain			6	6		
-27	537728	. Screw, 1/4 - 28 x 1-25/32 In. Lg.	2	2			2	2
-27	AN4-17A	. Screw, 1/4 - 28 x 1-29/32 In. Lg.			3	3		
-28	2437	. Nut	2	2		2	2	2
-28	2437	. Nut			3	3		
		* * * *						
-29	20522	. Washer, Plain	2	2	2	2	2	2
-30	631823-5.19	. Bolt	1	1	1	1	1	1
-31	2437	. Nut	1	1	1	1	1	1
-32	20522	. Washer, Plain	4	4	4	4	4	4
-33	629728	. Screw	2	2	2	2	2	2
-34	2437	. Nut, Plain	2	2	2	2	2	2
-35	20202	. Washer, Plain	4	4	4	4	4	4
-36	531001	. Nut, Flanged	4	4	4	4	4	4
-37	633795	. Bushing	2	2	2	2	2	2
-38	401507	. Washer, Plain	4	4	4	4	4	4
-39	2441	. Nut, Plain	4	4	4	4	4	4




FIGURE 20. CRANKCASE ASSOCIATED PARTS

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			TSIO-360				LTSIO-360			
A	B	C	D	E	F	G	H	I	J	
20-1	629636	Bracket, Engine Mounting	1	1	1	1				1
-1	641895	*** Bracket, Engine Mounting					1	1		4
-2	629196	\$ O-Ring	1	1	1	1	4	4		4
-3	637826	Bracket, Engine Mounting	1	1	1	1				1
-3	641894	**** Bracket, Engine Mounting	1	1	1	1	1	1		1
-4	637827	Bracket, Engine Mounting	1	1	1	1	1	1		1
-4	641896	**** Bracket, Engine Mounting					2	2		2
-5	AN123862	\$ O-Ring		1						
-6	629666	Bracket, Engine Mounting	1		1	1	1	1		1
	633761A1	Bracket Assembly, Engine Mounting	1		1	1	1	1		1
-6	No Number	. Bracket	ns	ns	ns	ns	ns			ns
-7	MS21209C6-15	. Insert, Helical Coil	1	1	1	1	1			1
-8	640953	Bracket, Turbo Mounting				1				1
-8	641859	Bracket, Turbo Mounting					1			
		ATTACHING PARTS								
-9	539058	Washer, Plain	8	8	8	8	6	6		6
-10	401507	Washer, Plain	4	4	4	4	4	4		4

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY									
			TSIO-360				LTSIO-360					
A	B	C	D	E	F	G	H	I	J	K	L	
20-11	2441	Nut, Plain, 3/8 - 24	12	12	12	12	12	12				12
		* * * *										
-12	641651	\$ Gasket, Governor Pad	1	1	1	1	1	1				1
-13	639997	Cover, Governor Pad	1	1	1	1	1	1				1
		ATTACHING PARTS										
-14	22535	Spacer	8	8	8	'8	8	8				8
-15	2473	Washer, Plain	4	4	4	4	4	4				4
-16	MS35338-45	Washer, Lock	4	4	4	4	4	4				4
-17	2439	Nut, Plain	4	4	4	4	4	4				4
		* * * *										
-18	AN900-10	\$ Gasket	2	2	2	2	2	2				2
-19	532432	Plug, Hex Head, 5/8 - 18	2	2	2	2	2	2				2
No Number	*	Rod Assembly, Oil Gauge Comp.	1	1	1	1	1	1				1
-20	AN123860	\$ O-Ring	1	1	1	1						
-20	AN123861	\$ O-Ring										1
-21	537299	Ring, Oil Gauge Lock	1	1	1	1	1	1				1
-22	630688	Clamp, Oil Gauge Housing	1	1	1	1	1	1				1
-23	630689	Bracket, Oil Gauge Support	1	1	1							
-23	641035	Bracket, Oil Gauge Support										1
-23	641124	Bracket, Oil Gauge Support							1			
-24	AN500D8-12	Screw, Filister Head	1	1	1	1	1	1				1
-25	AN960-8	Washer, Plain	1	1	1	1	1	1				1
-26	MS21044N08	Nut, Self Locking	1	1	1	1	1	1				1
-27	634973	** Plate, Identification	1									
-27	634974	** Plate, Identification		1								
-27	639284	** Plate, Identification			1							
-27	640573	** Plate, Identification				1						
-27	641059	** Plate, Identification					1					
-27	641956	** Plate, Identification						1				
-27	641058	** Plate, Identification										1
		ATTACHING PARTS										
-28	21007	Screw, Drive	6	6	6	6	6	6				6
		* * * *										
-29	632372	\$ Gasket, Oil Cooler	1	1	1	1	1	1				1
-30	632886	Cooler Assembly, Oil	1	1	1	1	1	1				1
-30	642063	Cooler Assembly, Oil							1			
		ATTACHING PARTS										
-31	2472	Washer, Plain	8	8	8	8	8	8				8
-32	MS35338-44	Washer, Lock	8	8	8	8	8	8				8
-33	24835	Screw, 1/4 - 20 x 7/8 In. Long	8	8	8	8	8	8				8
		* * * *										
-34	639305	Valve, Temperature Control	1	1	1	1	1	1				1
-35	632983	Shoe, Oil Cooler Bracket	1	1	1	1	1	1				1
-36	632987-1.00	Bolt, Carriage	1	1	1	1	1	1				1
-37	13XX18001	Nut, Hex	1	1	1	1	1	1				1
		* * * *										
-38	641361	Plate, Oil Seal Retainer					1	1				
-39	632321-.38	Bolt						4	4			

NOTE (*) To order, supply engine model and spec.

NOTE (**) See Service Bulletin M75-12

NOTE (***) Earlier models used a 629636 bracket with a 640920 spacer.

NOTE(****) Earlier models used a 637826 and a 637827 bracket with a 640916 spacer.




FIGURE 21. CRANKSHAFT GROUP

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			TSIO-360				LTSIO-360			
			A	B	C	D	E	F	G	H
21-	639200	* Crankshaft and Damper Assembly	1	1			1	1	1	1
	639786	Crankshaft and Damper Assembly			1	1				1
	641382	Crankshaft and Damper Assembly								ns
-1	No Number	. Crankshaft Assembly	ns	ns	ns	ns	ns	ns		ns
-2	639580	+* . Bushing, Crankshaft Damper	4	4	4	4	4	4		4
	639199	* . Counterweight Assembly	2	2	2	2	2	2		2
-3	No Number	. Counterweight Assembly	ns	ns	'ns	ns	ns	ns		ns
-4	639198	* . Bushing	4	4	4	4	4	4		4
-5	630261-41	* . Pin, Counterweight	4	4						
-5	630261-43	. Pin, Counterweight			2	2	2	2		2
-6	630261-44	. Pin, Counterweight				2	2	2		2
-7	633976	. Plate, Retaining	8	8	8	8	8	8		8
-8	629004	. Ring, Retaining	8	8	8	8	8	8		8
-9	630651	+ Dowel	1	1	1	1	1	1		1
-10	632857	\$+ Bearing, Rear and Intermediate	6	6	6	6	6	6		6
-11	632885	\$+ Bearing, Front	2	2	2	2	2	2		
-11	640999	\$+ Bearing, Front								2
-12	639640	+ Bearing, Connecting Rod	12	12	12	12	12	12		12
-13	632879	\$+ Packing	4	4	4	4	4	4		4
-14	637579	Washer, Thrust	4	4	4	4	4	4		4
-15	630690	Gear, Crankshaft Cluster	1	1	1	1	1	1		1
		ATTACHING PARTS								
-16	630692	Screw	4	4	4	4	4	4		4
		* * * *								
-17	530917	Seal Assembly	1	1	1	1	1	1		1
-18	530974	. Spring	1	1	1	1	1	1		1

NOTE (*): If old crankshaft and counterweight assembly, P/N 633527 is serviceable except for bushing or counterweight replacements, order crankshaft bushing P/N 626566 in place of 639580 (item 2); counterweight assembly number 629696 in place of 639199 (item 3); counterweight bushing P/N 626564 in place of 639198 (item 4) and counterweight pin P/N 630261-17 in place of 630261-41 (item 5).

CAUTION: These parts relationships must be maintained. Old and new parts cannot be intermixed. If there is doubt about the crankshaft identity, measure the inside diameter of the bushing hole in the blade on the crankshaft cheek. The hole in crankshaft 633527 should be 0.937/0.938. The hole in crankshaft 639200 should be 0.815/0.816.




FIGURE 22. CAMSHAFT GROUP

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360						LTSIO-360
			A	B	C	D	E	F	
22-	No Number	Camshaft Assembly	ns	ns	ns	ns	ns	ns	ns
-1	641060	. Camshaft	1	1	1	1	1	1	1
-1	640651	. Camshaft	1	1	1	1	1	1	1
-2	632477	. Gear, Camshaft	1	1	1	1	1	1	1
ATTACHING PARTS									
-3	630742	. Screw, 5/16 - 24 x 3/8 In. Long	4	4	4	4	4	4	4
* * * *									
-4	633342-10	. Key, Woodruff	1	1	1	1	1	1	1
-5	629588	. Gear, Governor Drive	1	1	1	1	1	1	1
-6	629602	Gear, Governor Driven	1	1	1	1	1	1	1
-7	630265	Shaft, Fuel Pump Drive	1	1	1	1	1	1	1
-8	633106	Lifter Assemly, Hydraulic Valve	12	12	12	12	12	12	12
-9	641862	. Ring, Snap	1	1	1	1	1	1	1

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			TSIO-360				LTSIO-360			
A	B	C	D	E	F			E		
23-	626168	Connecting Rod Assembly	6	6	6	6	6	6		6
-1	No Number	. Rod and Cap, Connecting	ns	ns	ns	ns	ns	ns		ns
-2	538684	. Bushing, Piston Pin	1	1	1	1	1	1		1
-3	530213	. Bolt, Connecting Rod	2	2	2	2	2	2		2
-4	626140	. Nut, Slotted, Special, 3/8 - 24	2	2	2	2	2	2		2
-5	639292	Pin, Cotter	12	12	12	12	12	12		12




FIGURE 23. CONNECTING ROD ASSEMBLY




FIGURE 24. PISTON AND PIN ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			TSIO-360				LTSIO-360			
A	B	C	D	E	F			E		
24-1	633428	† Piston, 7.5:1 Compression Ratio	6	6	6	6	6	6		6
-2	639570	† Ring, Top Groove	6	6	6	6	6	6		6
-3	639579	† Ring, Second Groove	6	6	6	6	6	6		6
-4	635964	† Ring, Oil Control	6	6	6	6	6	6		6
-5	630678	† Ring, Fourth Groove	6	6	6	6	6	6		6
-6	629690	Pin, Piston	6	6	6	6	6	6		6




FIGURE 25. CYLINDER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360						LTSIO-360
A	B	C	D	E	F			E	
25-1	21477	Packing, Cylinder Base	6	6	6	6	6	6	6
No Number		Cylinder Assembly Complete	ns	ns	ns	ns	ns	ns	ns
ATTACHING PARTS									
-2	531001	Nut, Flanged 7/16 - 20	12	12	12	12	12	12	12
-3	531003	Nut, Flanged 3/8 - 20	36	36	36	36	36	36	36
* * * *									
641370A1		. Cylinder and Valve Assembly	1	1	1	1	1	1	1
641370		. . Cylinder Assembly	1	1	1	1	1	1	1
-4	No Number	. . Head and Barrel	ns	ns	ns	ns	ns	ns	ns
-5	635959	t . . Insert, Exhaust Valve Seat	1	1	1	1	1	1	1
-6	629702	t . . Insert, Intake Valve Seat	1	1	1	1	1	1	1
-7	630262	t . . Guide, Valve	1	1	1	1	1	1	1
-8	639282	t . . Guide, Valve	1	1	1	1	1	1	1
-9	520112	. . Insert, Spark Plug Hole	2	2	2	2	2	2	2
-10	401836	t . . Stud, 5/16 x 1-7/16 In. Long	2	2	2	2	2	2	2

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360			LTSIO-360			
A	B	C	D	E	F	G	H	I	
25-11	401801	t Stud, 1/4 x 1-3/16 In. Long	4	4	4	4	4	4	4
-12	402044	t Stud, 5/16 x 1-3/8 In. Long	2	2	2	2	2	2	2
-13	629707	. Valve, Intake	1	1	1	1	1	1	1
-14	639283	. Valve, Exhaust	1	1	1	1	1	1	1
-15	625957	. Spring, Inner	2	2	2	2	2	2	2
-16	625958	. Spring, Outer	2	2	2	2	2	2	2
-17	24026	. Retainer, Valve Spring	2	2	2	2	2	2	2
-18	627732	. Seat, Valve Spring, Intake Valve	1	1	1	1	1	1	1
-19	631654	. Roto Coil Assembly, Exhaust Valve	1	1	1	1	1	1	1
-20	627731	. Key, Valve Spring	2	2	2	2	2	2	2
-21	632068	. Sleeve, Drain Connector	1	1	1	1	1	1	1
630476		. Rocker Arm Assembly	2	2		2	2	2	2
639648		. Rocker Arm Assembly			2	2	2	2	2
-22	No Number	. Rocker Arm	ns	ns	ns	ns	ns	ns	ns
-23	627693	. Bushing	2	2	2	2	2	2	2
-24	21007	. Plug, Rocker Arm	1	1	1	1	1	1	1
-25	631991	. Shaft, Valve Rocker	2	2	2	2	2	2	2
-26	639650	t Washer, Thrust			4	4	4	4	4
-27	631996	. Retainer, Valve Rocker	4	4	4	4	4	4	4
ATTACHING PARTS									
-28	501867	. Washer, Tab	4	4	4	4	4	4	4
-29	2437	. Nut, Plain Hex	4	4	4	4	4	4	4
		* * * *							
-30	632310	\$ Gasket, Rocker Cover	2	2	2	2	2	2	2
-31	627593	** Cover, Rocker	1	1	1	1	1	1	1
	633019	** Cover, Rocker, Cylinder No. 2 Int. Side	1	1	1	1	1	1	1
-32	No Number	. Cover	ns	ns	ns	ns	ns	ns	ns
-33	MS122122	. Insert Helical Coil	1	1	1	1	1	1	1
ATTACHING PARTS									
-34	632440	. Washer, Plain	8	8	8	8	8	8	8
-35	MS35338-44	. Washer, Lock	8	8	8	8	8	8	8
-36	535091	. Screw, Filister Head	4	4	4	4	4	4	4
-37	AN500D416-20	. Screw	4	4	4	4	4	4	4
		* * * *							
-38	630365	\$ Gasket, Exhaust Flange	6	6	6	6	6	6	6
-39	22022	Nut, Plain Brass	12	12	12	12	12	12	12
-40	632141	Housing, Push Rod	12	12	12	12	12	12	12
-41	630286	\$ Gasket	12	12	12	12	12	12	12
-42	632317	Spring	12	12	12	12	12	12	12
-43	629711	Washer, Push Rod Housing	24	24	24	24	24	24	24
-44	641607	\$ Seal, Push Rod Housing	12	12	12	12	12	12	12
-45	630393	Push Rod Assembly	12	12	12	12	12	12	12
-46	632137	Tube Assembly, Cylinder Drain	2	2	2	2	2	2	2
-47	632248	. Seal	3	3	3	3	3	3	3
-48	630057	Baffle, Cylinder Head	6	6	6	6	6	6	6
-49	532377	Spring, Cylinder Baffle	6	6	6	6	6	6	6

NOTE (*) Must be used with cast aluminum rocker box covers which were original equipment on early IO-360-A engines. See Service Bulletin M63-20 for correct installation.

NOTE (***) The IO-360-A uses twelve (12) 627593 rocker covers per engine. All others use eleven (11) 627593 rocker covers per engine and one (1) 633019 rocker cover assembly which is used on the No. 2 cylinder intake side only.




FIGURE 26. INTERCYLINDER BAFFLE ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY					
			TSIO-360			LTSIO-360		
A	B	C	D	E	F	G	H	
26-1	641109	Bracket, Fuel Line Support		1	1			1
-2	641287	Spacer		4	4			4
-3	641166	Support, Intercylinder Baffle Outer		4	4			4
-4	AN520-10R8	Screw No. 10-32 UNF x 1/2 In. Long		4	4			4
-5	641341	Support, Intercylinder Baffle Inner		4	4			4
-6	641106	Bolt, No. 10-32 UNF x 8-1/2 In. Long		4	4			4
-7	641107	Bracket, Fuel Line Support		1	1			1
-8	641349	Baffle Assembly, No. 2 Cylinder		1	1			1
-9	641344	Baffle Assembly, No. 1 & 6 Cylinder		2	2			2
-10	641346	Baffle Fastener		4	4			4
-11	641347	Spring, Compression		1	1			1
-12	641343	Baffle Assembly, No. 5 Cylinder		2	2			2
-13	641332	Baffle, No. 3 and 4 Cylinder		2	2			2
-14	641330	Baffle Assembly, Intercylinder, 1-3-5 Side		2	2			2
-15	641322	Baffle Assembly, Intercylinder, 2-4-6 Side		8	8			8
-16	AN960-10L	Washer, Plain		6	6			6
-17	626577-2	Clamp						




FIGURE 27. CRANKCASE COVER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			A	B	C	D	E	F	G
27-1	530011	\$ Gasket, Crankcase Cover-to-C/C					1		
	No Number	Crankcase Cover Complete					ns		
ATTACHING PARTS									
-2	2473	Washer, Plain					10		
-3	MS35338-45	Washer, Lock					12		
-4	2439	Nut, Plain, Hex					7		
-5	537961	Screw, 5/16 - 18 x 1.00 In. Long					3		
-6	537750	Screw, 5/16 - 18 x 1-1/8 In. Long					2		
-7	539916	Screw, 5/16 - 24 x 3-1/4 In. Long					1		
* * * *									
	640616	. Crankcase Cover Assembly					1		
-8	No Number	. . Cover					ns		
-9	401809	† . Stud, 5/16 x 1-3/8 In. Long					3		
-10	401963	† . Stud, 1/4 x 1.00 In. Long					3		
-11	401885	† . Stud, 5/16 x 1-5/16 In. Long					4		
-12	MS122162	. . Insert, Helical Coil					2		
-13	MS122122	. . Insert, Helical Coil					1		
-14	627762	. . Bushing, Bronze					1		

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY					
			TSIO-360			LTSIO-360		
A	B	C	D	E	F	G	H	I
27-15	640216	. . . Tube, Oil Filler Neck			1			
-16	629518-3H	. . . Plug, 3/8 NPTF			1			
-17	AN900-10 \$. . . Gasket, Annular			2			
-18	630415	. . . Plug, Hex Head, 5/8 - 18			2			
-19	629518-1H	. . . Plug, 1/8 NPTF			2			
-20	631687	. . . Plunger			1			
-21	539619	. . . Spring, Oil Pressure Relief Valve			1			
-22	635002	. . . Spring, Oil Pressure Relief Valve			1			
-23	AN900-14 \$. . . Gasket, Annular			1			
-24	21113	. . . Cap, Oil Pressure Relief Valve			1			
-25	633602	. . . Gear, Oil Pump Drive			1			
	633610	. . . Gear, Oil Pump Driven			1			
-26	No Number	. . . Gear			ns			
-27	633611	. . . Bushing			1			
-28	633612	. . . Cover, Oil Pump			1			
ATTACHING PARTS								
-29	36025	. . . Washer, Tab			4			
-30	626487	. . . Screw			4			
* * * *								
-31	633342-1	. . . Key, Woodruff			1			
-32	634010	. . . Gear, Oil Pump Drive			1			
-33	632443-3	. . . Nut			1			
-34	632560 \$. . . Gasket, Gen. and O/P Dr. Gear			1			
-35	632475	. . . Cover, Oil Pump Dr. Gear			1			
ATTACHING PARTS								
-36	20522	. . . Washer, Plain			3			
-37	MS35338-44	. . . Washer, Lock			3			
-38	2437	. . . Nut			3			
* * * *								
-39	AN900-16 \$. . . Gasket, Annular			1			
-40	641835	. . . Screen Assembly, Oil Scavenge			1			
	641734 *	. . . Adapter Assembly, Oil Filter			1			
-41	No Number	. . . Adapter			ns			
-42	632373	. . . Stud			1			
-43	641614	. . . Plug			1			
-44	AN123883 \$. . . O-Ring			1			
-45	MS9021-028 \$. . . O-Ring			1			
-46	631904	. . . Nut, Adapter			1			
-47	633735	Bracket, Adapter			1			
-48	633734	Bracket, Adapter			1			
-49	AN501-10-7	Screw			2			
-50	AN960-10L	Washer			3			
-51	22910	Washer, Lock			3			
-52	13XX1896	Nut, No. 10-32			3			
-53	25320	Screw			1			
-54	641583 *	Filter			1			
-55	640703 *	Stud			1			

NOTE (*) To install spin on filter (54), when using old adapter assembly 633324, it will be necessary to install stud (55) in filter base.




FIGURE 28. CRANKCASE COVER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360				LTSIO-360		
A	B	C	D	E	F	G	H	I	
28:1	530011	\$ Gasket, Crankcase Cover to C/C	1	1	1	1			
	No Number	Crankcase Cover, Complete	ns	ns	ns	ns			
ATTACHING PARTS									
-2	2473	Washer, Plain	10	10	10	10			
-3	MS35338-45	Washer, Lock	12	12	12	12			
-4	2439	Nut, Plain Hex	7	7	7	7			
-5	537961	Screw, 5/16 - 18 x 1.00 In. Long	5	5	5	5			
-6	539916	Screw, 5/16 - 24 x 3-1/4 In. Long	1	1	1	1			
		* * * *							
	640841	. Crankcase Cover Assembly	1	1					
	641803	. Crankcase Cover Assembly			1				
	641802	. Crankcase Cover Assembly				1			
-7	No Number	. . Cover	ns	ns	ns	ns			
-8	401809	t . . Stud, 5/16 x 1-1/8 In. Long	3	3	3	3			
-9	401963	t . . Stud, 1/4 x 1.00 In. Long	3	3	3	3			
-10	401885	t . . Stud, 5/16 x 1-5/16 In. Long	3	3	3	3			
-11	402067	t . . Stud, 5/16 x 1-5/8 In. Long	3	3	3	3			

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			A	B	C	D	E	F	G
28-12	MS122122	. . Insert, Helical Coil	1	1	1	1			
-13	MS122162	. . Insert, Helical Coil	2	2	2	2			
-14	627762	. . Bushing, Bronze	1	1	1	1			
-15	632344	. . Tube, Oil Filler Neck	1	1					
-15	640216	. . Tube, Oil Filler Neck			1				
-15	641159	. . Tube, Oil Filler Neck				1			
-16	AN900-10 \$. . Gasket, Annular	2	2	2	2			
-17	630415	. . Plug, 5/8 - 18	2	2	2	2			
-18	629518-1H	. . Plug, Pipe 1/8 - 27	2	2	2	2			
-19	629518-3H	. . Plug, Pipe, 3/8 - 18	1	1	1	1			
-20	631687	. . Plunger, Oil Pressure Relief Valve	1	1	1	1			
-21	635002	. . Spring, Oil Pressure Relief Valve	1	1	1	1			
-22	539619	. . Spring, Oil Pressure Relief Valve	1	1	1	1			
-23	AN900-10 \$. . Gasket, Annular	1	1	1	1			
-24	21113	. . Cap, Oil Pressure Relief Valve	1	1					
-24	641074 *	. . Cap, Oil Pressure Relief Valve			1	1			
-25	641075 *	. . Screw, Relief Valve Adj.				1	1		
-26	X1473 *	. . Washer, Plain					1	1	
-27	632762 *	. . Nut, Elastic Stop					1	1	
-28	633602	. . Gear, Oil Pump Drive	1	1	1	1			
	633610	. . Gear, Oil Pump Driven	1	1	1	1			
-29	No Number	. . Gear	ns	ns	ns	ns			
-30	633611	. . Bushing	1	1	1	1			
-31	633612	. . Cover, Oil Pump	1	1	1	1			
ATTACHING PARTS									
-32	36025	. . Washer, Tab	4	4	4	4			
-33	626487	. . Screw, 1/4 - 20 x 9/16 In. Long	4	4	4	4			
		* * * *							
-34	633342-1	. . Key, Woodruff	1	1	1	1			
-35	634010	. . Gear, Oil Pump Drive	1	1	1	1			
-36	632443-3	. . Nut, Oil Pump Drive Gear	1	1	1	1			
-37	632560 \$. . Gasket, Alt. and O/P Dr. Gear	1	1	1	1			
-38	632475	. . Cover, Oil Pump Drive Gear	1	1	1	1			
ATTACHING PARTS									
-39	20522	. . Washer, Plain	3	3	3	3			
-40	MS35338-44	. . Washer, Lock	3	3	3	3			
-41	2437	. . Nut, Plain Hex	3	3	3	3			
		* * * *							
-42	640834 \$. . Gasket, Oil Filter Adpt. to Cover	1	1	1	1			
-43	MS9021-028	. . O-Ring, Oil Filter Adapter	1	1	1	1			
-44	AN900-16 \$. . Gasket, Annular	1	1	1	1			
-45	641835	. . Screen Assembly, Scavenge Oil	1	1	1	1			
-46	641574 **	. . Adapter Assembly, Oil Filter	1	1	1	1			
-47	641575 ***	. . Adapter Assembly, Oil Filter	1	1	1	1			
ATTACHING PARTS									
-48	AN960-516	. . Washer, Plain	3	3	3	3			
-49	MS35338-45	. . Washer, Lock	3	3	3	3			
-50	2439	. . Nut, Plain, Hex	3	3	3	3			
		* * * *							
-51	632373	. . Stud, Adapter	1	1	1	1			
-52	641583	. . Oil Filter	1	1	1	1			

NOTE (*) These parts are optional on the TSIO-360-A-B.

NOTE (**) Used on front engine of Cessna T337.

NOTE (***) Used on rear engine of Cessna T337.




FIGURE 29. CRANKCASE COVER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY									
			TSIO-360				LTSIO-360					
			A	B	C	D	E	F	G	H	I	J
29-1	530011 \$	Gasket Crankcase Cover to C/C					1	1			1	
	No Number	Crankcase Cover Complete					ns	ns			ns	
ATTACHING PARTS												
-2	2473	Washer, Plain					15	15			15	
-3	MS35338-45	Washer, Lock					14	14			14	
-4	2437	Nut, Plain					9	9			9	
-5	537961	Screw, 5/16 - 18 x 1.00 In. Long					5	5			5	
-6	539916	Screw, 5/16 - 24 x 3-1/4 In. Long					1	1			1	
		* * * *										
	640923	. Crankcase Cover					1	1			1	
	640924	. Crankcase Cover					ns	ns			ns	
-7	No Number	. Cover										

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360				LTSIO-360		
A	B	C	D	E	F	G	H	I	
29-8	401809	t . . Stud, 5/16 x 1-1/8 In. Long				3	3		3
-9	401804	t . . Stud, 1/4 x 1-1/16 In. Long				3	3		3
-10	401885	t . . Stud, 5/16 x 1-5/16 In. Long				4	4		4
-11	402067	t . . Stud, 5/16 x 1-5/8 In. Long				3	3		3
-12	MS122122	. . Insert, Helical Coil				1	1		1
-13	MS122162	. . Insert, Helical Coil				2	2		2
-14	627762	. . Bushing, Bronze				1	1		1
-15	641033	. . Tube, Oil Filler Neck				1	1		1
-16	AN900-10	\$. . Gasket, Annular				2	2		2
-17	532432	. . Plug, Hex Head 5/8 - 18				2	2		2
-18	629518-3H	. . Plug, Pipe, 3/8 - 18				1	1		1
-19	631687	. . Plunger, Oil Pressure Relief Valve				1	1		1
-20	627458	. . Spring, Oil Pressure Relief Valve				1	1		1
-21	AN900-14	\$. . Gasket, Annular				1	1		1
-22	21113	. . Cap, Oil Pressure Relief Valve				1	1		1
-23	633602	. . Gear, Oil Pump Drive				1	1		1
	633610	. . Gear Assembly				1	1		1
-24	No Number	. . Gear				ns	ns		ns
-25	633611	. . Bushing				1	1		1
-26	633612	. . Cover, Oil Pump				1	1		1
ATTACHING PARTS									
-27	36025	. . Washer, Tab				4	4		4
-28	626487	. . Screw, 1/4 - 20 x 9/16 In. Long				4	4		4
* * * *									
-29	633342-1	. . Key, Woodruff				1	1		1
-30	634010	. . Gear, Oil Pump Drive				1	1		1
-30	640926	. . Gear, Oil Pump Drive							
-31	641535-1RH	. . Conn., Tach Drive				1	1		1
-31	641535-2LH	. . Conn., Tach Drive							
-32	641538	\$. . Gasket, Tach Drive				1	1		1
-33	352066	\$. . Gasket, Generator				1	1		1
-34	641531	. . Adapter Assembly, Tach Drive				1	1		1
No Number		. . Adapter, Tach Drive				ns	ns		ns
-35	641533	. . Seal				1	1		1
-36	640925	. . Adapter, Tach Drive Reduction				1	1		1
ATTACHING PARTS									
-37	20522	. . Washer, Plain				3	3		3
-38	MS35338-44	. . Washer, Lock				3	3		3
-39	2437	. . Nut, Plain, Hex				3	3		3
* * * *									
-40	640834	\$. . Gasket, Oil Filter Adapter to Cov.				1	1		1
-41	MS9021-028	. . O-Ring, Oil Filter Adapter				1	1		1
-42	AN900-16	\$. . Gasket, Annular				1	1		1
-43	641835	. . Screen Assembly, Scavenge Oil				1	1		1
-44	641576	. . Adapter Assembly, Oil Filter				1	1		1
ATTACHING PARTS									
-45	2473	. . Washer, Plain				3	3		3
-46	MS35338-45	. . Washer, Lock				3	3		3
-47	2439	. . Nut, Plain				3	3		3
* * * *									
-48	632373	. . Stud, Adapter				1	1		1
-49	641583	. . Oil Filter				1	1		1




FIGURE 30. ALTERNATOR ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			TSIO-360				LTSIO-360			
			A	B	C	D	E	F	G	H
30-1	632560	\$ Gasket, Alternator	RF	RF	RF	RF				RF
-2	352066	. Gasket, Alternator	ns	ns	ns	ns	RF	RF		ns
No Number		. Alternator Assembly 38 AMP 28 Volt					ns	ns		
No Number		. Alternator Assembly 70 AMP 12 Volt								
ATTACHING PARTS										
-3	2473	. Washer, Plain	3	3	3	3	3	3		3
-4	21213	. Nut, Elastic Stop	3	3	3	3	3	3		3
		* * * *								
-5	633962	. Alternator, 38 AMP, 28 Volt	1	1	1	1				1
-5	641669	. Alternator, 70 AMP 12 Volt					1	1		1
-6	AN123864	. O-Ring					1	1		1
-7	352068	. Seal-Oil					1	1		1
-8	530406	. Hub, Alternator Coupling	1	1						
-9	530407	. Sleeve	1	1						
-10	352030	. Retainer	1	1						
-11	632050	. Bushing	2	2						
-12	531325	. Gear, Alternator Drive	1	1			1	1	1	1
635796		. Coupler, Assembly					ns	ns	ns	ns
-13	No Number	. Coupler								
-14	634598	. Sleeve					1	1	1	1
-15	530412	. Nut, Slotted	1	1	1	1	1	1		1
-16	639292	. Pin, Cotter	1	1	1	1	1	1		1




FIGURE 31. OIL SUMP ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360			LTSIO-360			
A	B	C	D	E	F	G	H	I	
31-1	641870 \$	Gasket, Oil Sump	1	1	1	1	1	1	1
	No Number	Sump Assembly, Oil	ns	ns	ns	ns	ns	ns	ns
ATTACHING PARTS									
-2	20522	Washer, Plain	14	14	14	14	14	14	14
-3	MS35338-44	Washer, Lock	14	14	14	14	14	14	14
-4	2437	Nut, Plain, Hex, 1/4 - 28	14	14	14	14	14	14	14
*									
	629671A2	. Oil Sump Assembly	1	1	1	1	1	1	1
-5	No Number	. . Sump, Oil	ns	ns	ns	ns	ns	ns	ns
-6	MS122122	. . Insert, Thread	5	5	5	5	5	5	5
-7	AN900-10 \$. . Gasket, Annular	1	1	1	1	1	1	1
-8	2265	. . Plug, Oil Drain, 5/8 - 18	1	1	1	1	1	1	1
-9	626264	. . Tube Assembly, Suction	1	1	1	1	1	1	1




FIGURE 32. STARTER AND STARTER ADAPTER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY					
			TSIO-360			LTSIO-360		
			A	B	C	D	E	F
32- 1	627993 \$	Gasket	1			1		
	635048A2	Adapter, Assembly, Str. & Acc. Drive	1			1		
		ATTACHING PARTS						
-2	628056	Bolt, Hex Head, 5/16 x 5-13/32 Inch Long	1			1		
-3	627433	Bolt, Hex Head, 5/16 - 18 x 5-1/4 Inch Long	2			2		
-4	538999	Bolt, Hex Head, 5/16 - 18 x 3-5/8 Inch Long	1			1		
-5	2473	Washer, Plain	3			3		
-6	MS35338-45	Washer, Lock	3			3		
-7	2473	Washer, Plain	2			2		
-8	MS35338-45	Washer, Lock	1			1		
-9	2439	Nut, Plain, Hex	1			1		
		* * * *						
	635048	. . . Adapter Assembly, Starter	1			1		
-10	No Number	. . . Adapter and Sleeve Assembly	ns			ns		
-11	402127 †	. . . Stud, 3/8 x 1-17/32 Inch Long	1			1		
-12	401861 †	. . . Stud, 3/8 x 1-3/4 Inch Long	1			1		
-13	402151 †	. . . Stud, 5/16 x 1-1/4 Inch Long	1			1		
-14	627882	. . . Dowel, 5/16 x 33/64 Inch Long	2			2		
-15	641368	. . . Bearing, Needle	1			1		
-16	631252	. . . Shaft, Starter Worm	1			1		
-17	536552	. . . Spring, Worm Shaft	1			1		
-18	633342-10	. . . Key, Woodruff	1			1		
-19	539805	. . . Gear, Worm	1			1		
-20	X13041	. . . Bearing, Ball	1			1		
-21	502287	. . . Ring, Retaining	1			1		
-22	630680	. . . Bearing, Roller	1			1		
-23	627860	. . . Gear, Starter Worm Wheel	1			1		
-24	539800	. . . Spring, Clutch	1			1		
		ATTACHING PARTS						
-25	501867	. . . Washer, Tab	1			1		
-26	633845	. . . Screw, 1/4 - 20 x 11/32 Inch Long	1			1		
-27	633547	. . . Shaftgear, Starter	1			1		
-28	633342-6	. . . Key, Woodruff	1			1		
-29	AN123902 \$. . . O-Ring	1			1		
	633626A1	. . . Adapter Assembly, Accessory Drive	1			1		

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY					
			TSIO-360			LTSIO-360		
A	B	C	D	E	F		E	
32		ATTACHING PARTS						
-30	2473	. . Washer, Plain	1			1		
-31	MS35338-45	. . Washer, Lock	1			1		
-32	2439	. . Nut, Plain, Hex	1			1		
		* * * *						
-33	No Number	. . Adapter, Accessory Drive	ns			ns		
-34	632409	. . Bushing	1			1		
-35	632410	. . Bushing	1			1		
-36	633687	. . Bushing	1			1		
-37	632412 \$. . Seal, Oil	1			1		
-38	25102 \$. . Seal, Oil	1			1		
-39	401870 †	. . Stud, 1/4 x 1-1/8 Inch Long	8			8		
-40	402941	. . Plug, 1/16 - 27	2			2		
	633630	. . Gear Assembly, Scavenge Pump	1			1		
-41	No Number	. . Gear Scavenge Pump Driven	ns			ns		
-42	633632	. . Bushing, Scavenge Pump	1			1		
-43	633629	. . Gear, Scavenge Pump Drive	1			1		
	633628	. . Cover Assembly, Scavenge Pump	1			1		
		ATTACHING PARTS						
-44	20522	. . Washer, Plain	6			6		
-45	22537	. . Screw, 1/4 - 20 x 5/8 Inch Long	6			6		
		* * * *						
-46	No Number	. . Cover, Scavenge Pump	1			1		
-47	633609-7	. . Bearing, Needle	1			1		
-48	633627	. . Gear, Bevel Accessory Driver	1			1		
-49	633612	. . Gear, Bevel Accessory Driven	1			1		
-50	MS20066-98	. . Key, Machine	1			1		
-51	632613	. . Shaft Gear, Accessory Drive	1			1		
-52	532247	. . Ring, Retaining	1			1		
-53	MS9134-01 \$. . Gasket, Accessory Pad Cover	2			2		
-54	640380	. . Cover, Accessory Drive	2			2		
		ATTACHING PARTS						
-55	20522	. . Washer, Plain	8			8		
-56	MS35338-44	. . Washer, Lock	8			8		
-57	2437	. . Nut, Plain, Hex	8			8		
		* * * *						
-58	633752 \$. . Gasket, Cover Adapter	1			1		
-59	633751	. . Cover, Accessory Drive	1			1		
		ATTACHING PARTS						
-60	20522	. . Washer, Plain	4			4		
-61	MS35338-44	. . Washer, Lock	4			4		
-62	535631	. . Screw, 1/4 - 20 x 1 Inch Long	4			4		
		* * * *						
-63	MS9021-038	O-Ring	1			1		
-64	637847 *	Starter, 24 Volt	1			1		
		ATTACHING PARTS						
-65	539058	Washer, Plain	2			2		
-66	2441	Nut, Plain, Hex	2			2		

NOTE (*) When replacing the Delco starter with the Prestolite, you will find it necessary to use two 402127 studs to the nearest oversize.




FIGURE 33. STARTER AND STARTER ADAPTER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			A	B	C	D	E	F	G
33-1	627993 \$	Gasket	1	1					
	635048A4	Adapter Assembly, Starter & Acc. Drive	1	1					
ATTACHING PARTS									
-2	628056	Bolt, Hex Head, 5/16 - 24 x 5-13/32 In. Lg.	1	1					
-3	627433	Bolt, Hex Head, 5/16 - 18 x 5-1/4 In. Lg.	2	2					
-4	538999	Bolt, Hex Head, 5/16 - 18 x 3-5/8 In. Lg.	1	1					
-5	2473	Washer, Plain	3	3					
-6	MS35338-45	Washer, Lock	3	3					
-7	2473	Washer, Plain	2	2					
-8	2439	Nut, Plain Hex	1	1					
*									
	635048	Adapter Assembly, Starter	1	1					
-9	No Number	Adapter, Starter	ns	ns					
-10	402127 †	Stud, 3/8 x 1-13/32 In. Long	1	1					
-11	401861 †	Stud, 3/8 x 1-3/4 In. Long	1	1					

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY					
			A	B	C	D	E	H
33-12	402151	Stud, 5/16 x 1-1/4 In. Long	1	1				
-13	627882	Dowel, 5/16 x 33/64 In. Long	2	2				
-14	641368	Bearing, Needle	1	1				
-15	631252	Shaft, Starter Worm	1	1				
-16	536552	Spring, Starter	1	1				
-17	633342-10	Key, Woodruff	1	1				
-18	539805	Gear, Starter Worm	1	1				
-19	X13041	Bearing, Ball	1	1				
-20	502287	Ring, Retaining	1	1				
-21	630680	Bearing, Roller	1	1				
-22	627860	Gear, Starter Worm Wheel	1	1				
-23	539800	Spring, Clutch	1	1				
ATTACHING PARTS								
-24	501867	Washer, Tab	1	1				
-25	633845	Screw, 1/4 - 20 x 11/32 In. Long	1	1				
* * * *								
-26	633542	Shaft Gear, Starter	1	1				
-27	AN123902 \$	O-Ring	1	1				
	633636	Body Assembly, Acc. Dr. & Scavenge Pump	1	1				
ATTACHING PARTS								
-28	2473	Washer, Plain	1	1				
-29	MS35338-45	Washer, Lock	1	1				
-30	2439	Nut, Plain, Hex	1	1				
* * * *								
-31	No Number	Body, Accessory Drive	ns	ns				
-32	632409	Bushing	1	1				
-33	25102 \$	Seal	1	1				
-34	401870 †	Stud, 1/4 x 1-1/8 In. Long	1	1				
	633630	Gear Assembly, Scavenge Pump Driven	1	1				
-35	No Number	Gear Scavenge Pump	ns	ns				
-36	633632	Bushing, Gear	1	1				
-37	633637	Gear, Scavenge Pump Driven	1	1				
	633848	Cover Assembly, Scavenge Pump	1	1				
ATTACHING PARTS								
-38	20522	Washer, Plain	6	6				
-39	22537	Screw	6	6				
* * * *								
-40	No Number	Cover, Scavenge Pump	ns	ns				
-41	633856	Bushing, Scavenge Pump Cover	1	1				
-42	633342	Key, Woodruff	1	1				
-43	MS9134-01	Gasket, Accessory Drive	1	1				
-44	640380	Cover, Accessory Drive	1	1				
ATTACHING PARTS								
-45	20522	Washer, Plain	4	4				
-46	MS35338-44	Washer, Lock	4	4				
-47	2437	Nut, 1/4 - 28	4	4				
* * * *								
-48	MS9021-038 \$	O-Ring	1	1				
-49	637847 *	Starter, 24 Volts	1	1				
ATTACHING PARTS								
-50	539058	Washer, Plain	2	2				
-51	2441	Nut, Plain, Hex	2	2				

NOTE (*) When replacing the Delco starter with the Prestolite, you will find it necessary to use two 402127 studs to the nearest oversize.




FIGURE 34. STARTER AND STARTER ADAPTER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360			LTSIO-360			
A	B	C	D	E	F	G	H	I	
34-1	627993	\$ Gasket					1	1	
	635048A8	Adapter Assembly, Str. & Acc. Drive					1	1	
		ATTACHING PARTS							
-2	628056	Bolt, 5/16 - 24 x 5-13/32 In. Long					1	1	
-3	627433	Bolt, 5/16 - 18 x 5-1/4 In. Long					2	2	
-4	538999	Bolt, 5/16 - 18 x 3-5/8 In. Long					1	1	
-5	2473	Washer, Plain					3	3	
-6	MS35338-45	Washer, Lock					3	3	
-7	2473	Washer, Plain					2	2	
-8	MS35338-45	Washer, Lock					1	1	
-9	2439	Nut, Plain					1	1	
	635048	Adapter Assembly, Starter					1	1	
-10	No Number	Adapter, Starter					ns	ns	
-11	402127	† Stud, 3/8 x 1-17/32 In. Long					1	1	
-12	401861	† Stud, 3/8 x 1-3/4 In. Long					1	1	
-13	402151	† Stud, 5/16 x 1-1/4 In. Long					1	1	
-14	627882	† Dowel, 5/16 x 33/64 In. Long					2	2	
-15	641368	Bearing, Needle					1	1	
-16	631252	Shaft, Starter, Worm					1	1	
-17	536552	Spring, Worm Shaft					1	1	

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			TSIO-360				LTSIO-360			
A	B	C	D	E	F	G	H	I	J	
34-18	633342-10	. Key, Woodruff					1	1		
-19	539805	. Gear, Starter Worm					1	1		
-20	X13041	. Bearing, Ball					1	1		
-21	502287	. Ring, Retaining					1	1		
-22	630680	. Bearing, Roller					1	1		
-23	627860	. Gear, Starter Worm Wheel					1	1		
-24	539800	. Spring, Clutch					1	1		
ATTACHING PARTS										
-25	501867	. Washer, Tab					1	1		
-26	633845	. Screw, 1/4 - 20 x 11/32 In. Long					1	1		
-27	633542	. Shaft Gear, Starter					1	1		
-28	AN123902 \$. O-Ring					1	1		
	No Number	. Body Assembly, Accy. Drive & Scav. Pump					ns	ns		
ATTACHING PARTS										
-29	2473	. Washer, Plain					1	1		
-30	MS35338-45	. Washer, Lock					1	1		
-31	2439	. Nut, Plain, Hex					1	1		
		* * * *								
	633636	. Body Assembly					1	1		
-32	No Number	. Body					ns	ns		
-33	632409	. Bushing					1	1		
-34	25102 \$. Seal, Oil					1	1		
-35	401870 †	. Stud, 1/4 x 1-1/8 In. Long					4	4		
-36	AN912-5	. Bushing, Reducer					1	1		
-37	632017	. Elbow, 90 Degree Street					1	1		
-38	634536	. Elbow, 45 Degree, 3/8 Tube					1	1		
	633630	. Gear Assembly, Scavenge Pump Driven					1	1		
-39	No Number	. Gear					ns	ns		
-40	633632	. Bushing					1	1		
-41	633637	. Gear, Scavenge Pump Drive					1	1		
	633848	. Cover Assembly, Scavenge Pump					1	1		
ATTACHING PARTS										
-42	20522	. Washer, Plain					6	6		
-43	22537	. Screw, 1/4 - 20 x 5/8 In. Long					6	6		
		* * * *								
-44	No Number	. Cover					ns	ns		
-45	633856	. Bushing					1	1		
-46	633342	. Key, Woodruff					1	1		
-47	MS9134-01 \$. Gasket, Accessory Drive					1	1		
-48	640380	. Cover, Accessory Drive					1	1		
ATTACHING PARTS										
-49	20522	. Washer, Plain					4	4		
-50	MS35338-44	. Washer, Lock					4	4		
-51	2437	. Nut					4	4		
		* * * *								
-52	MS9021-038 \$	O-Ring					1	1		
-53	634592	Starter					1	1		
ATTACHING PARTS										
-54	539058	Washer, Plain					2	2		
-55	2441	Nut, Plain					2	2		




FIGURE 35. STARTER AND STARTER ADAPTER ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			TSIO-360				LTSIO-360			
A	B	C	D	E	F	G	H	I		
35-1	627993	\$ Gasket								1
	635048A7	Adapter, Assembly, Str. & Acc. Drive								1
		ATTACHING PARTS								
-2	628056	Bolt, 5/16 - 24 x 5-13/32 In. Lg.								1
-3	627433	Bolt, 5/16 - 18 x 5-1/4 In. Lg.								2
-4	538999	Bolt, 5/16 - 18 x 3-5/8 In. Lg.								1
-5	2473	Washer, Plain								3
-6	MS35338-45	Washer, Lock								3
-7	2473	Washer, Plain								2
-8	MS35338-45	Washer, Lock								1
-9	2439	Nut, Plain								1
		* * * *								
	635048	. Adapter Assembly, Starter								1
-10	No Number	. . Adapter, Starter								ns
-11	402127	. . Stud, 3/8 x 1-13/32 In. Lg.								1
-12	401861	. . Stud, 3/8 x 1-3/4 In. Lg.								1
-13	402151	. . Stud, 5/16 x 1-1/4 In. Lg.								1
-14	627882	. . Dowel, 5/16 x 33/64 In. Lg.								2
-15	641368	. . Bearing, Needle								1
	631254	. . Shaft Assembly, Starter Worm								1
-16	631253	. . Shaft, Starter Worm								1

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360			LTSIO-360			
A	B	C	D	E	F	G	H	I	
35 17	X13041	. . Bearing, Ball							1
-18	MS35756-8	. . Key, Woodruff							1
-19	539793	. . Gear, Starter Worm							1
-20	628149	. . Bushing, Worm Shaft							1
-21	628155-1	. . Pin, Tubular							1
-22	502287	. . Ring, Retaining							1
-23	630680	. . Bearing, Roller							1
-24	627861	. . Gear, Starter Worm Wheel							1
-25	539601	. . Spring, Clutch							1
ATTACHING PARTS									
-26	501867	. . Washer, Tab							1
-27	633845	. . Screw, 1/4 - 20 x 11/32 In. Lg.							1
		* * * *							
-28	633542	. . Shaft Gear, Starter							1
-29	AN123902 \$. . O-Ring							1
No Number		. . Body Assembly, Acc. Dr. & Scav. Pump							ns
ATTACHING PARTS									
-30	2473	. . Washer, Plain							1
-31	MS35338-45	. . Washer, Lock							1
-32	2439	. . Nut, Plain, Hex							1
		* * * *							
	641103	. . Body, Assembly							1
-33	No Number	. . Body							ns
-34	632409	. . Bushing							1
-35	401870 †	. . Stud, 1/4 x 1-1/8 In. Lg.							4
-36	25102 \$. . Seal, Oil							1
-37	AN6227-9 \$. . O-Ring							1
-38	AN924-6	. . Nut							1
-39	AN833-6	. . Elbow, 90 Degree							1
	633630	. . Gear, Assembly, Scavenge Pump Drive							1
-40	No Number	. . Gear							ns
-41	633632	. . Bushing							1
-42	633637	. . Gear, Scavenge Pump Drive							1
	641078	. . Cover, Scavenge Pump							1
ATTACHING PARTS									
-43	20522	. . Washer, Plain							6
-44	22537	. . Screw, 1/4 - 20 x 5/8 In. Lg.							6
		* * * *							
-45	No Number	. . Cover							ns
-46	633856	. . Bushing							1
-47	633342	. . Key, Woodruff							1
-48	MS9134-01 \$. . Gasket, Accessory Drive							1
-49	640380	. . Cover, Accessory Drive							1
ATTACHING PARTS									
-50	20522	. . Washer, Plain							4
-51	MS35338-44	. . Washer, Lock							4
-52	2437	. . Nut, Plain							4
		* * * *							
-53	MS9021-038 \$	O-Ring							1
-54	634592	Starter							1
ATTACHING PARTS									
-55	539058	Washer							2
-56	2441	Nut, Plain							2




FIGURE 36. INDUCTION SYSTEM

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY					
			TSIO-360			LTSIO-360		
A	B	C	D	E	F	G	H	I
36-1	629925	\$ Gasket, Intake Manifold	6	6				
-2	629873	Tube Assembly, Int. Man. No. 1 Cylinder	1	1				
-3	629864	Tube Assembly, Int. Man. No. 3 & 4 Cylinder	2	2				
-4	631874	Tube Assembly, Int. Man. No. 5 Cylinder	1	1				
-5	629872	Tube Assembly, Int. Man. No. 2 Cylinder	1	1				
-6	631875	Tube Assembly, Int. Man. No. 6 Cylinder	1	1				
ATTACHING PARTS								
-7	2473	Washer, Plain	12	12				
-8	MS35338-45	Washer, Lock	12	12				
-9	2439	Nut, Plain 5/16 - 24	12	12				
* * * *								
-10	36151E	Clamp, Hose	10	10				
-11	AN737TW82	Clamp, Hose Throttle Body	2	2				
-12	24827	\$ Hose, Tube Connector	6	6				
-13	No Number	Air Throttle and Fuel Met. Assembly	ns	ns				
ATTACHING PARTS								
-14	537728	Screw, Hex Head 1/4 - 28 x 1-25/32 In. Lg.	2	2				
-15	2437	Nut, Plain Hex, 1/4 - 28	2	2				
* * * *								
-16	633872	Tube Assembly, Air Manifold 1-3-5 Side	1	1				
-17	633958-5	. Seal	2	2				
-18	633871	Tube Assembly, Air Manifold 2-4-6 Side	1	1				
-19	633958-5	. Seal	2	2				
-20	630421	\$ Gasket, Adapter	1	1				
-21	633819	Adapter, Air Throttle	1	1				
ATTACHING PARTS								
-22	13XX3103	Screw, 1/4 - 28	4	4				
-23	20522	Washer, Plain	8	8				
-24	MS35338-44	Washer, Lock	4	4				
-25	2437	Nut, Plain, Hex	4	4				
* * * *								
-26	X12935	Fitting	2	2				
-27	X5147	Fitting	1	1				
-28	633485	Tube Assembly, Air Manif.	2	2				
-29	633869	Tube Assembly, Air Manifold-to-F/P	1	1				
-30	633958-3	. Seal	2	2				
-31	633901	Sleeve Assembly, Injection Nozzle	6	6				
-32	633958-3	. Seal	6	6				
-33	640612	Washer, Rubber	6	6				
-34	628556	Washer, Steel	6	6				




FIGURE 37. INDUCTION SYSTEM

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY													
			A	B	C	D	E	F	G	H	I	J	K	L	M	
TSIO-360								LTSIO-360								
37-1	629925	\$ Gasket, Intake Manifold				6	6									
-2	639413	Tube Assembly, Int. Man. No. 1 Cylinder			1	1										
-3	629864	Tube Assembly, Int. Man. No. 3 & 4 Cylinder			2	2										
-4	639203	Tube Assembly, Int. Man. No. 5 Cylinder			1	1										
-5	639413	Tube Assembly, Int. Man. No. 2 Cylinder			1	1										
-6	639202	Tube Assembly, Int. Man. No. 6 Cylinder			1	1										
ATTACHING PARTS																
-7	2473	Washer, Plain				12	12									
-8	MS35338-45	Washer, Lock				12	12									
-9	2439	Nut, Plain, Hex				12	12									
* * * *																
-10	36151E	Clamp, Hose				8	8									
-11	AN737TW91	Clamp, Hose, Throttle Body				4	4									
-12	24827	\$ Hose				4	4									
-13	639660-1	\$ Hose				2	2									
-14	No Number	Air Throttle and Fuel Met. Assembly				ns	ns									
ATTACHING PARTS																
-15	537728	Screw				2	2									
-16	2437	Nut, Plain, Hex				2	2									
* * * *																
-17	639207	\$ Gasket, Throttle Body to Adapter				1	1									
-18	639241	Adapter				1	1									
ATTACHING PARTS																
-19	AN101114	Bolt, 1/4 - 28 x 1 In. Long				4	4									
-20	20522	Washer, Plain				8	8									
-21	MS35338-44	Washer, Lock				4	4									
-22	2437	Nut, Plain				4	4									
* * * *																
-23	640110	Bracket, Air Manifold Tube Support				1	1									
-24	MS35489-11S	Grommet - Split				1	1									
-25	639361	Tube Assembly, Air Manifold 1-3-5 Side				1	1									
-26	633485	Tube Assembly, Air Manifold 2-4-6 Side				1	1									
-27	639362	Tube Assembly, Air Manifold Rear				1	1									
-28	633958-5	. Seal				2	2									
-29	639689	Tube Assembly, Fuel Pump				1	1									
-30	633958-3	. Seal				2	2									
-31	633901	Sleeve Assembly, Injector Nozzle				6	6									
-32	633958-3	. Seal				6	6									
-33	640612	Washer, Rubber				6	6									
-34	628556	Washer, Plain				6	6									




FIGURE 38. INDUCTION SYSTEM

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY																						
			TSIO-360			LTSIO-360																			
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
38-1	629925	\$Gasket, Intake Manifold							1	1														1	
-2	629873	Tube Assembly, Int. Man. Cylinder No. 1							1	1														1	
-3	629864	Tube Assembly, Int. Man. Cylinder No. 3 & 4							2	2														2	
-4	631874	Tube Assembly, Int. Man. Cylinder No. 5							1	1														1	
-5	629872	Tube Assembly, Int. Man. Cylinder No. 2							1	1														1	
-6	631875	Tube Assembly, Int. Man. Cylinder No. 6							1	1														1	
ATTACHING PARTS																									
-7	2473	Washer, Plain							12	12														12	
-8	MS35338-45	Washer, Lock							12	12														12	
-9	2439	Nut, Plain							12	12														12	
* * * *																									
-10	36151E	Clamp, Hose							8	8														8	
-11	AN737TW82	Clamp, Hose							4	4														4	
-12	24827	\$Hose, Tube Connector							6	6														6	
-13	No Number	Air Throttle and Fuel Met. Assembly							ns	ns														ns	
ATTACHING PARTS																									
-14	537728	Screw, 1/4 - 28 x 1-25/32 In. Long							2	2														2	
-15	2437	Nut, Plain							2	2														2	
* * * *																									
-16	633872	Tube Assembly, Air Manifold 1-3-5 Side							1	1														1	
-17	633958-5	. Seal							2	2														2	
-18	633871	Tube Assembly, Air Manifold 2-4-6 Side							1	1														1	
-19	633958-5	. Seal							2	2														2	
-20	633485	Tube Assembly, Air Manifold							2	2														2	
-21	633901	Sleeve Assembly, Injection Nozzle							6	6														6	
-22	633958-3	. Seal							6	6														6	
-23	640612	Washer, Rubber							6	6														6	
-24	628556	Washer, Plain							6	6														6	
-25	AN737TW91	Clamp							6	6														6	
-26	639660-1	\$Hose, 2-1/4 ID x 2.00 In. Long							3	3														3	
-27	640952	Tube							1	1														1	
-28	641913	Tube Assembly																						1	
-28	641288	Tube Assembly																						1	
-29	MS29513-138	\$O-Ring																						1	
-30	641404-1	Valve, Overboost																						1	
ATTACHING PARTS																									
-31	AN3-6A	Bolt							4	4														4	
-32	AN960-10L	Washer, Plain							4	4														4	
-33	AN363-1032	Nut, Self Locking							4	4														4	




FIGURE 39. FUEL INJECTION SYSTEM

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360				LTSIO-360		
A	B	C	D	E	F	G	H	I	
39-1	632945	\$Gasket, Fuel Pump to C/C	1	1	1	1			
	635798A3	. Fuel Injection Assembly	1	1					
	639289A6	. Fuel Injection Assembly		1					
	639289A7	. Fuel Injection Assembly		1					
	639508-4A2	. Fuel Pump Assembly	1	1		1			
	639508-1A1	. Fuel Pump Assembly			1	1			
		ATTACHING PARTS							
-2	2473	. Washer, Plain, Hex	4	4	4	4			
-3	MS35338-45	. Washer, Lock	4	4	4	4			
-4	2439	. Nut, Plain, Hex	4	4	4	4			
		* * * *							
-5	No Number	. . Fuel Pump	ns	ns	ns	ns			
-6	630146-4	. . Lever, Throttle Mixture Control	1	1	1	1			
-7	2457	. . Nut, 5/16 - 24, Castle	1	1	1	1			
-8	X604	. . Pin, Cotter	1	1	1	1			
-9	628475	. . Elbow, 90 Degree, F/P Inlet	1	1	1	1			
-10	627119	. . Elbow, 90 Degree, F/P Outlet	1	1	1	1			
-11	628476	. . Elbow, 45 Degree, F/P Outlet	1	1	1	1			
-12	628437	. . Elbow, 90 Degree, Vapor Return	1	1	1	1			
-13	628438	. . Fitting, Seal Drain	1	1	1	1			
	640563-2A1	* . Throttle and Control Assembly	1	1					
	640563-4A4	* . Throttle and Control Assembly			1				
	640563-4A6	* . Throttle and Control Assembly				1			
-14	No Number	. . Throttle Assembly	ns	ns	ns	ns			
-15	630146-2	. . Lever, Thr. Mixture Control	1	1					
-15	630146-16	. . Lever, Thr. Mixture Control			1	1			
-16	MS21044N5	. . Nut, Self-Locking	1	1	1	1			

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY					
			TSIO-360			LTSIO-360		
A	B	C	D	E	F	G	H	I
-17	639495	. . Fitting, Tee, Fuel Inlet	1	1	1	1		
-18	628437	. . Elbow, 90 Degree, Fuel Outlet	1	1	1	1		
-19	635158-16.00	. . Hose Assembly, Met. Unit-to-F/P	1	1	1	1		
-20	635158-16.00	. . Hose Assembly, Met. Unit-to-M/F	1	1				
-20	635158-22.00	. . Hose Assembly, Met. Unit-to-M/F			1	1		
	631351A7	. . Valve Assembly Fuel Manifold	1	1				
	641032-2-13	. . Valve Assembly Fuel Manifold			1	1		
-21	No Number	. . Valve Assembly	ns	ns	ns	ns		
-22	633954	. . Bracket, Manifold Valve	1	1	1	1		
ATTACHING PARTS								
-23	MS35338-43	. . Washer, Lock	2	2	2	2		
-24	AN500-10-5	. . Screw	2	2	2	2		
		* * * *						
-25	628437	. . Elbow, 90 Degree, Fuel Inlet	1	1	1	1		
-26	AN780-2	. . Nipple, Union	2	2				
-27	627331	. . Elbow, 45 Degree	4	4				
-28	631720	. . Elbow, 90 Degree, Pressure Conn.			1	1		
-28	629518-1H	. . Plug, Pressure Conn.	1	1				
-29	631330	. . Seal	1	1	1	1		
-30	626557	. . Screen	1	1	1	1		
-31	630184	. . Spring	1	1	1	1		
-32	626553	. . Cover	1	1				
-32	634325	. . Cover			1	1		
ATTACHING PARTS								
-33	AN500A8-10	. . Screw	4	4	4	4		
-34	633867	. . Tube Assembly, Fuel, Cylinder No. 1	1	1				
-34	641411	. . Tube Assembly, Fuel, Cylinder No. 1			1	1		
-34	633877	. . Tube Assembly, Fuel, Cylinder No. 2	1	1				
-34	641412	. . Tube Assembly, Fuel, Cylinder No. 2			1	1		
-34	633878	. . Tube Assembly, Fuel, Cylinder No. 3	1	1				
-34	641095	. . Tube Assembly, Fuel, Cylinder No. 3			1	1		
-34	633879	. . Tube Assembly, Fuel, Cylinder No. 4	1	1				
-34	641413	. . Tube Assembly, Fuel, Cylinder No. 4			1	1		
-34	633880	. . Tube Assembly, Fuel, Cylinder No. 5	1	1				
-34	641414	. . Tube Assembly, Fuel, Cylinder No. 5			1	1		
-34	633881	. . Tube Assembly, Fuel, Cylinder No. 6	1	1				
-34	641415	. . Tube Assembly, Fuel, Cylinder No. 6			1	1		
-35	633608-12	@. Nozzle Assembly	1	1	1	1		

NOTE (*) For detail parts, see Fuel Injection System Overhaul Manual and Parts Catalog, Form No. X-30091.
 NOTE (@) Order nozzle size identified on hex of nozzle body.




FIGURE 40. FUEL INJECTION SYSTEM

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY					
			TS10-360			LTS10-360		
A	B	C	D	E	F	G	H	
40-1	632945 \$	Gasket, F/P to Crankcase		1	1			1
	639289A4	Fuel Injection Assembly		1	1			1
	639289A5	Fuel Injection Assembly		1	1			1
	639508-2A1	. Fuel Pump Assembly		1	1			1
	639508-3A1	. Fuel Pump Assembly		1	1			1
		ATTACHING PARTS						
-2	2473	. Washer, Plain		4	4			4
-3	MS35338-45	. Washer, Lock		4	4			4
-4	2439	. Nut		4	4			4
		* * * *						
-5	No Number	. Fuel Pump		ns	ns			ns
-6	630146-19	. Lever, Throttle Mixture Cont.		1	1			1
-7	2457	. Nut, 5/16-24 Castle		1	1			1
-8	X604	. Pin, Cotter		1	1			1
-9	628475	. Elbow, 90 Degree, F/P Inlet		1	1			1
-10	627119	. Elbow, 90 Degree, F/P Outlet		1	1			1

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360			LTSIO-360			
A	B	C	D	E	F	G	H	I	
40-11	628436	. Elbow, 45 Degree, F/P Outlet				1	1		1
-12	628437	. Elbow, 90 Degree, Vapor Ret.				1	1		
-13	628436	. Fitting, Seal Drain				1	1		1
-14	628436	. Elbow, 45 Degree, S/C Pressure				1	1		1
	640563-2A5	. Throttle and Cont. Assembly				1	1		
-15	No Number	. Throttle Assembly			ns	ns			ns
-16	630146-2	. Lever, Throttle Control			1	1			1
-17	MS21044N5	. Nut, Self Lock			1	1			1
-18	636349	. Tee, Fuel Inlet			1	1			1
-19	626900	. Extension			1	1			1
-20	628437	. Elbow, Fuel Outlet			1	1			1
-21	628438	. Fitting			1	1			1
-22	35985 \$. Gasket, Adapter			1	1			1
-23	633819	. Adapter, Air Throttle			1	1			1
ATTACHING PARTS									
-24	AN101114	. Screw, 1/4 - 28 x 1.00 In. Long			4	4			4
-25	20522	. Washer, Plain			8	8			8
-26	MS35338-44	. Washer, Lock			4	4			4
-27	2437	. Nut, Plain			4	4			4
		* * * *							
-28	X12935	. Fitting			2	2			2
-29	628438	. Fitting			1	1			1
-30	641082	. Tube Assembly, F/P to Adapter			1	1			1
-31	641084	. Tube Assembly, F/P to Met. Unit			1	1			1
-32	641085	. Tube Assembly, Met. Unit to M/V			1	1			1
	641032-2-11	. Valve Assembly, Fuel Manifold			1	1			1
-33	No Number	. Valve Assembly			ns	ns			ns
-34	633954	. Bracket, Manifold Valve			1	1			1
ATTACHING PARTS									
-35	MS35338-43	. Washer, Lock			2	2			2
-36	AN500-10-5	. Screw			2	2			2
		* * * *							
-37	631330	. Seal			1	1			1
-38	626557	. Screen			1	1			1
-39	630184	. Spring			1	1			1
-40	634325	. Cover			1	1			1
ATTACHING PARTS									
-41	AN500A8-10	. Screw			4	4			4
		* * * *							
-42	628436	. Elbow, 45 Degree, Fuel Inlet			1	1			1
-43	634628	. Elbow, 90 Degree, Pressure Conn.			1	1			1
-44	MS20823-2	. Elbow, 45 Degree, Vent			1	1			1
-45	641093	. Tube Assembly, Fuel, Cylinder No. 1			1	1			1
-45	641094	. Tube Assembly, Fuel, Cylinder No. 2			1	1			1
-45	641095	. Tube Assembly, Fuel, Cylinder No. 3			1	1			1
-45	641096	. Tube Assembly, Fuel, Cylinder No. 4			1	1			1
-45	641097	. Tube Assembly, Fuel, Cylinder No. 5			1	1			1
-45	641098	. Tube Assembly, Fuel, Cylinder No. 6			1	1			1
-46	633608-12	*. Nozzle Assembly			6	6			6

NOTE (*) Order nozzle size identified on hex of nozzle body.




FIGURE 41. EXHAUST SYSTEM

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360				LTSIO-360		
A	B	C	D	E	F			E	
41-1	630365	\$Gasket				12			12
No Number		Exhaust System, Complete				ns			ns
		ATTACHING PARTS							
-2	22022	Nut				12			12
		* * * *							
-3	640964-101	. Tee Assembly, Cylinder No.1				1			1
-4	640964-102	. Tee Assembly, Cylinder No.2				1			1
-5	640964-103	. Tee Assembly, Cylinder No.3				1			1
-6	640964-104	. Tee Assembly, Cylinder No.4				1			1
-7	640964-105	. Elbow Assembly, Cylinder No.5				1			1
-8	640964-106	. Elbow Assembly, Cylinder No.6				1			1
-9	640964-107	. Elbow Assembly, Right Hand				1			1
-10	640964-108	. Elbow Assembly, Left Hand				1			1
-11	640964-109	. "Y" Assembly				1			1

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY					
			TSIO-360			LTSIO-360		
A	B	C	D	E	F	G	H	
41-12	640964-110	Tail Pipe			1			1
-13	640964-119	Exhaust By-Pass Assembly			1			1
-14	640964-410	Bushing			4			4
-15	640964-409	Tie Rod			2			2
ATTACHING PARTS								
-16	AN365-1032C	Nut			4			4
-17	AN3-4A	Bolt			4			4
			* * * *					
-18	640955	Turbocharger			1			1
ATTACHING PARTS								
-19	633358	Clamp, Turbo			2			2
	Ref.	Screw (Part of Turbo)			3			3
			* * * *					
-20	641286	Support Assembly, Turbo			1			1
ATTACHING PARTS								
-21	641285	Clamp			1			1
-22	MS90726-38	Bolt			1			1
-23	MS35338-45	Washer, Lock			1			1
-24	2439	Nut			1			1
-25	641385	Bolt			1			1
-26	MS35338-44	Washer, Lock			1			1
-27	MS35691-402	Nut			1			1
			* * * *					
-28	AN912-5	Bushing, Reducer			1			1
-29	MS20822-6	Elbow, 90 Degree			1			1
-30	641063	Tube, Assembly			1			1
-31	MS21044N3	Nut, Self-Locking			1			1
-32	AN960-10L	Washer, Plain			2			2
-33	AN3-4A	Bolt			1			1
-34	MS21919DG6	Clamp, Cushion			1			1
-35	641067	Bracket			1			1
-36	641068	Valve, Check			1			1
-37	635218-6-15.00	Hose Assembly, Turbo to Scav. Pump			1			1
-38	641161	Nipple, Special			1			1
-39	AN917-1	Tee			1			1
-40	AN915-1	Elbow, 45 Degree			1			1
-41	642211	* Valve, Check			1			1
-42	MS21919G16	Clamp, Cushion			1			1
-43	AN500-10-8	Screw			1			1
-44	635218-6-36.00	Hose Assembly, Turbo to C/C			1			1

NOTE (*) Earlier models using 641961 check valve, must change hardware and hose.




FIGURE 42. EXHAUST SYSTEM

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			TSIO-360				LTSIO-360			
A	B	C	D	E	F			E		
42-1	630365 \$	Gasket						12		
	No Number	Exhaust System, Complete						ns		
		ATTACHING PARTS								
-2	22022	Nut						12		
		* * * *								
-3	640964-101	. Tee Assembly, Cylinder No.1						1		
-4	640964-102	. Tee Assembly, Cylinder No.2						1		
-5	640964-103	. Tee Assembly, Cylinder No.3						1		
-6	640964-104	. Tee Assembly, Cylinder No.4						1		
-7	640964-105	. Elbow Assembly, Cylinder No.5						1		
-8	640964-106	. Elbow Assembly, Cylinder No.6						1		
-9	641911-108	. Elbow Assembly, Left Hand						1		
-10	641911-109	. "Y" Assembly						1		
-11	641911-020	. Tail Pipe						1		
-12	641911-030	. Exhaust By-Pass Assembly						1		
-13	640964-410	. Bushing						6		
-14	640964-409	. Tie Rod						3		
		ATTACHING PARTS								
-15	MS21044N3	. Nut, Self Locking						6		
-16	AN3-4A	. Bolt						6		
		* * * *								
-17	640955	Turbocharger						1		
		ATTACHING PARTS								
-18	633358	Clamp, Turbo						2		
	Ref.	Screw (Part of Turbo)						3		
		* * * *								
-19	AN912-5	Bushing, Reducer						1		
-20	MS20822-6	Elbow, 90 Degree						1		
-21	641877	Tube, Assembly						1		
-22	MS21044N3	Nut, Self-Locking						1		
-23	AN960-10L	Washer, Plain						2		
-24	AN3-4A	Bolt						1		
-25	MS21919G16	Clamp, Cushion						1		
-26	641068	Valve, Check						1		
-27	64110046S-16.00	Hose Assembly, Turbo to Scav. Pump						1		
-28	632758	Nipple, Hex Fitting						1		
-29	AN816-6-2B -	Nipple						1		
-30	AN917-1	Tee						1		
-31	MS21919G16	Clamp, Cushion						1		
-32	AN500-10-8	Screw						1		
-33	635218-6-30.00	Hose Assembly, Turbo to C/C						1		
	641912	Blanket, Turbo						1		
		(NOT ILLUSTRATED)								




FIGURE 43. IGNITION SYSTEM

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360				LTSIO-360		
A	B	C	D	E	F		E		
43-1	534750	\$ Gasket, Magneto	2	2	2	2	2	2	2
-2	640838	Magneto, Bendix	2	2					
-2	640838	Magneto, Bendix 2-4-6 Side		1	1				
-2	640839	Magneto, Bendix 1-3-5 Side		1	1				
-2	640896-1	Magneto, Bendix				2	2		
-2	640896-2	Magneto, Bendix							2
ATTACHING PARTS									
-3	630535	Washer, Magneto Holding	4	4	4	4	4	4	4
-4	MS35338-45	Washer, Lock	4	4	4	4	4	4	4
-5	2439	Nut, Plain, Hex 5/16 - 24	4	4	4	4	4	4	4
*									
-6	632512	Spark Plug	12	12					
-6	630049	Spark Plug		1	1	1	1		12
636950		Harness Assembly Complete		1	1	1	1		1
641108		Harness Assembly Complete							
ATTACHING PARTS									
-7	25321	Washer, Lock	8	8	8	8	8	8	8
-8	AN501-10-10	Screw	8	8	8	8	8	8	8
*									
-9	637409-48	* Cable Asm. No. 1 Upper 28.00 In. Lg.	1	1	1	1	1	1	1
-9	637409-48	* Cable Asm. No. 1 Upper 27.31 In. Lg.							

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360				LTSIO-360		
			A	B	C	D	E	F	G
43-10	637409-48	* . Cable Asm. No. 1 Lower 33.50 In. Lg.	1	1	1	1	1	1	
-10	637409-48	* . Cable Asm. No. 1 Lower 39.31 In. Lg.							1
-11	637409-48	* . Cable Asm. No. 2 Upper 34.00 In. Lg.	1	1	1	1	1	1	
-11	637409-48	* . Cable Asm. No. 2 Upper 28.81 In. Lg.							1
-12	637409-48	* . Cable Asm. No. 2 Lower 32.38 In. Lg.	1	1	1	1	1	1	
-12	637409-48	* . Cable Asm. No. 2 Lower 41.81 In. Lg.							1
-13	637409-48	* . Cable Asm. No. 3 Upper 34.75 In. Lg.	1	1	1	1	1	1	
-13	637409-48	* . Cable Asm. No. 3 Upper 34.31 In. Lg.							1
-14	637409-48	* . Cable Asm. No. 3 Lower 44.50 In. Lg.	1	1	1	1	1	1	
-14	637409-48	* . Cable Asm. No. 3 Lower 46.81 In. Lg.							1
-15	637409-48	* . Cable Asm. No. 4 Upper 40.15 In. Lg.	1	1	1	1	1	1	
-15	637409-48	* . Cable Asm. No. 4 Upper 36.81 In. Lg.							1
-16	637409-48	* . Cable Asm. No. 4 Lower 46.63 In. Lg.	1	1	1	1	1	1	
-16	637409-72	* . Cable Asm. No. 4 Lower 48.31 In. Lg.							1
-17	637409-48	* . Cable Asm. No. 5 Upper 38.38 In. Lg.	1	1	1	1	1	1	
-17	637409-48	* . Cable Asm. No. 5 Upper 38.81 In. Lg.							1
-18	637409-72	* . Cable Asm. No. 5 Lower 50.75 In. Lg.	1	1	1	1	1	1	
-18	637409-72	* . Cable Asm. No. 5 Lower 53.31 In. Lg.							1
-19	637409-48	* . Cable Asm. No. 6 Upper 44.51 In. Lg.	1	1	1	1	1	1	
-19	637409-48	* . Cable Asm. No. 6 Upper 40.81 In. Lg.							1
-20	637409-72	* . Cable Asm. No. 6 Lower 55.00 In. Lg.	1	1	1	1	1	1	
-20	637409-72	* . Cable Asm. No. 6 Lower 55.81 In. Lg.							1
-21	629506	. . Spring, Sprak Plug Terminal	1	1	1	1	1	1	
-22	633089	** . . Terminal, Crimp Type	1	1	1	1	1	1	
-23	629505	. . Sleeve, Spark Plug Terminal	1	1	1	1	1	1	
-24	629504	. . Spring	1	1	1	1	1	1	
-25	633096	** . . Ferrule	1	1	1	1	1	1	
-26	629502	. . Nut, Spark Plug End	1	1	1	1	1	1	
-27	633012	** . . Ferrule, Grounding	1	1	1	1	1	1	
-28	633009	. . Plate, Cable Outlet	1	1	1	1	1	1	
-29	629498	. . Ferrule, Cable	6	6	6	6	6	6	6
-30	629496	. . Grommet, Plate	1	1	1	1	1	1	
-31	629495	. . Eyelet, Cable Contact	6	6	6	6	6	6	6
-32	629494	. . Strap	10	10	10	10	10	10	10
-33	635982-1	. . Clamp	2	2	2	2	2	2	2
-34	635360	. . Screw	2	2	2	2	2	2	2
-35	631739	. . Clamp	2	2	2	2	2	2	2
-36	631738-1	. . Clamp	2	2	2	2	2	2	2
-37	631737-1	. . Clamp	2	2	2	2	2	2	2
-38	352024	Kit, Ground Terminal	1	1	1	1	1	1	1
-38	628740	Kit, Ground Terminal							1
-39	25314	. . Washer, Plain	1	1	1	1	1	1	
-39	629010	. . Washer, Plain							1
-40	530455	. . Sleeve, Insulating	1	1	1	1	1	1	
-40	629009	. . Bushing, Insulating							1
-41	25316	. . Ferrule, Inner	1	1	1	1	1	1	
-42	25317	. . Ferrule, Outer	1	1	1	1	1	1	
-42	629008	. . Bushing, Shouldered							1
-43	25318	. . Nut, Hex, Coupling	1	1	1	1	1	1	
-43	629011	. . Nut, Hex, Coupling							1

NOTE (*) Service leads furnished in two lengths which are terminated on spark plug end only. Cut to size specified in description column.

NOTE (**) Service sleeves - Use Thomas and Betts Crimping Tool, No. WT-217.

CAUTION: Each lead requires one (1) each 629498 ferrule and 629495 eyelet to complete a cable assembly.




FIGURE 44 FREON COMPRESSOR KIT (OPT.)

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY					
			A	B	C	D	E	F
44-	EQ6529	Kit, Freon Compressor						Opt
	641348A3 ①	. Adapter Assembly, Starter, Complete						1
		ATTACHING PARTS						
-1	627433	. Bolt, 5/16 - 18 x 5-1/4 Inch Long						1
-2	MS20074-05-37	. Bolt						1
-3	630966-5.75	. Bolt, 5/16 - 18 x 5-3/4 Inch Long						1
-4	538949	. Washer, Special						3
-5	2473	. Washer, Plain						3
-6	MS35338-45	. Washer, Lock						2
-7	642290	. Bracket, Freon Compressor, Rear						1
-8	642291	. Bracket, Freon Compressor, Front						1
		* * * *						
-9	641348	. . . Adapter Assembly, Starter						1
-10	402127	+ . . . Stud, 3/8 x 1-17/32 Inch Long						2
-11	401834	+ . . . Stud, 5/16 x 1-13/16 Inch Long						1
		* * * *						
-12	633547	. . . Shaftgear, Starter						1
-13	640756	. . . Adapter Assembly, Scavenge & Acc. Drive						1

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY						
			TSIO-360				LTSIO-360		
A	B	C	D	E	F	G	H	I	J
ATTACHING PARTS									
44-14	2473	. . . Washer, Plain							1
-15	MS35338-45	. . . Washer, Lock							1
-16	2439	. . . Nut, Plain							1
		* * * *							
-17	632409	. . . Bushing							1
-18	632410	. . . Bushing							1
-19	633687	. . . Bushing							1
-20	401870	+ . . Stud, 1/4 x 1-1/8 Inch Long							8
-21	401843	+ . . Stud, 1/4 x 1-16/32 Inch Long							4
-22	402941	. . . Plug, Pipe							2
-23	632412	. . . Seal, Oil							1
-24	25102	. . . Seal, Oil							1
-25	637459	. . . Fitting, Elbow							1
		* * * *							
-26	633342-6	. . . Key, Woodruff							1
-27	640684	. . . Gear, Bevel, Accessory Driver							1
-28	MS20066-98	. . . Key							1
-29	632613	. . . Shaft, Accessory Drive Gear							1
-30	640802	. . . Gear, Bevel, Accessory Driven							1
-31	522247	. . . Ring, Retaining							1
-32	640815	. . . Housing Assembly, Accessory Drive							1
ATTACHING PARTS									
-33	AN960PD416L	. . . Washer							4
-34	2437	. . . Nut							4
-35	20522	. . . Washer							4
-36	MS9882-10	. . . Nut							4
		* * * *							
-37	640809	. . . Gear, Bevel, Accessory Driven							1
-38	633609-9	. . . Bearing							2
-39	534938	. . . Seal, Oil							1
-40	641893	. . . Sheave							1
-41	20202	. . . Washer							1
-42	640816	. . . Bolt, Hex							1
-43	MS9134-01	. . . Gasket, Accessory Pad							2
-44	640380	. . . Cover, Accessory Pad							2
ATTACHING PARTS									
-45	20522	. . . Washer, Plain							8
-46	MS35338-44	. . . Washer, Lock							8
-47	2437	. . . Nut, Plain							8

NOTE ① The 641348A3 starter adapter also includes index numbers 1, 2, 7, 8, 9, 14 thru 26, 28 and 39 thru 43 of Figure 34.

NOTE: Belt and compressor are supplied by customer.




FIGURE 45 PRIMING SYSTEM (OPT.)

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY																						
			TSIO-360			LTSIO-360																			
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
45-	EQ6532	Priming System, Kit							Opt	Opt													Opt		
	642199	. Diverter Assembly, Valve							1	1													1		
-1	633862	. . Valve, Gas Diverter.							1	1													1		
-2	636596	. . Fitting, Elbow, 90 Degree							1	1													1		
-3	630089	. . Fitting, Elbow.							1	1													1		
-4	X12143	. . Bushing							1	1													1		
-5	AN790-2	. . Elbow							1	1													1		
ATTACHING PARTS																									
-6	24609	. Clamp, Hose							1	1													1		
* * * *																									
-7	642201	. Tube Assembly, Diverter Valve to Tee							1	1													1		
-8	AN795-2	. Tee, Union							1	1													1		
-9	642203	. Tube Assembly, Tee to Right Primer Nozzle							1	1													1		
-10	642202	. Tube Assembly, Tee to Left Primer Nozzle							1	1													1		
-11	AN4022-1	. Primer Nozzle							2	2													2		
-12	642204	. Tube Assembly, Metering Valve to Diverter Valve							1	1													1		
-13	642205	. Tube Assembly, Diverter Valve to Manifold Valve							1	1													1		
ATTACHING PARTS																									
-14	632689	. Clamp Assembly							1	1													1		
-15	626577-2	. Clamp							1	1													1		
-16	641559	. Bracket							1	1													1		
* * * *																									
*	635013	. Spark Plug							12	12													12		

* Not Illustrated




FIGURE 46 MAGNETO DRIVE ASSEMBLY

FIG. INDEX	PART NUMBER	DESCRIPTION	QUANTITY PER ASSEMBLY							
			TSIO-360			LTSIO-360				
A	B	C	D	E	F	G	H	I	J	
46-	630529	Shaft Assembly, Magneto Gear Support	2	2	2	2	2	2		2
		ATTACHING PARTS								
-1	633840	Nut, Cone Lok	2	2	2	2	2	2		2
		* * * *								
-2	No Number	. Shaft, Magneto Gear Support	ns	ns	ns	ns	ns	ns		ns
-3	625495-7	. Pin, Roll	1	1	1	1	1	1		1
	630525	Gear Assembly, Magneto	2	2	2	2	2	2		2
-4	No Number	. Gear, Magneto Drive	ns	ns	ns	ns	ns	ns		ns
-5	630523	. Washer, Thrust	1	1	1	1	1	1		1
-6	531177	. Sleeve, Magneto Coupling	1	1	1	1	1	1		1
-7	633609-18	. Bearing, Magneto Gear	1	1	1	1	1	1		1
-8	531178	Retainer, Magneto Coupling	2	2	2	2	2	2		2
-9	638172	Bushing, Magneto Coupling	4	4	4	4	4	4		4

SECTION IV

OVERSIZE AND UNDERSIZE PARTS

PART NO.	NAME	DESCRIPTION	PART NO.	NAME	DESCRIPTION
401801P003	Stud	.003" OS on PD	401945P003	Stud	.003" OS on PD
401801P007	Stud	.007" OS on PD	401945P007	Stud	.007" OS on PD
401801P012	Stud	.012" OS on PD	401945P012	Stud	.012" OS on PD
401809P003	Stud	.003" OS on PD	401963P003	Stud	.003" OS on PD
401809P007	Stud	.007" OS on PD	401963P007	Stud	.007" OS on PD
401809P012	Stud	.012" OS on PD	401963P012	Stud	.012" OS on PD
401814P003	Stud	.003" OS on PD	402044P003	Stud	.003" OS on PD
401814P007	Stud	.007" OS on PD	402044P007	Stud	.007" OS on PD
401814P012	Stud	.012" OS on PD	402044P012	Stud	.012" OS on PD
401836P003	Stud	.003" OS on PD	402066P003	Stud	.003" OS on PD
401836P007	Stud	.007" OS on PD	402066P007	Stud	.007" OS on PD
401836P012	Stud	.012" OS on PD	402066P012	Stud	.012" OS on PD
401861P003	Stud	.003" OS on PD	402067P003	Stud	.003" OS on PD
401861P007	Stud	.007" OS on PD	402067P007	Stud	.007" OS on PD
401861P012	Stud	.012" OS on PD	402067P012	Stud	.012" OS on PD
401862P003	Stud	.003" OS on PD	402127P003	Stud	.003" OS on PD
401862P007	Stud	.007" OS on PD	402127P007	Stud	.007" OS on PD
401862P012	Stud	.012" OS on PD	402127P012	Stud	.012" OS on PD
401870P003	Stud	.003" OS on PD	402151P003	Stud	.003" OS on PD
401870P007	Stud	.007" OS on PD	402151P007	Stud	.007" OS on PD
401870P012	Stud	.012" OS on PD	402151P012	Stud	.012" OS on PD
401871P003	Stud	.003" OS on PD	402439P003	Stud	.003" OS on PD
401871P007	Stud	.007" OS on PD	402439P007	Stud	.007" OS on PD
401871P012	Stud	.012" OS on PD	402439P012	Stud	.012" OS on PD
401885P003	Stud	.003" OS on PD	539800M015	Spring	.015" US on ID
401885P007	Stud	.007" OS on PD			
401885P012	Stud	.012" OS on PD	629627P020	Camshaft	.020" OS on OD
401926P003	Stud	.003" OS on PD	629690P005	Pin - Piston	.005" OS on OD
401926P007	Stud	.007" OS on PD	629702P005	Insert	.005" OS on OD
401926P012	Stud	.012" OS on PD	629702P010	Insert	.010" OS on OD
401933P003	Stud	.003" OS on PD	629702P015	Insert	.015" OS on OD
401933P007	Stud	.007" OS on PD	629702P020	Insert	.020" OS on OD
401933P012	Stud	.012" OS on PD	629702P030	Insert	.030" OS on OD
401944P003	Stud	.003" OS on PD	630262P005	Guide - Valve	.005" OS on OD
401944P007	Stud	.007" OS on PD	630262P010	Guide - Valve	.010" OS on OD
401944P012	Stud	.012" OS on PD	630262P020	Guide - Valve	.020" OS on OD

PART NO.	NAME	DESCRIPTION	PART NO.	NAME	DESCRIPTION
630651P005	Dowel - C/shaft	.005" OS on OD	639570P005	Ring	.005" OS on OD
			639570P015	Ring	.015" OS on OD
630678P005	Ring - Piston	.005" OS on OD	639570A3P005	Ring Set	.005" OS on OD
630678P015	Ring - Piston	.015" OS on OD	639570A3P015	Ring Set	.015" OS on OD
630687P015	Piston	.015" OS on OD	639571P005	Ring - Piston	.005" OS on OD
632857M010	Bearing	.010" US on ID	639571P015	Ring - Piston	.015" OS on OD
632885M010	Bearing	.010" US on ID	639579P005	Ring - Piston	.005" OS on OD
			639579P015	Ring - Piston	.015" OS on OD
632885A1M010	Bearing	.010" US on ID	639580P0015	Bushing	.0015"OS on OD
633428P015	Piston	.015" OS on OD	639580P003	Bushing	.003" OS on OD
			639580P005	Bushing	.005" OS on OD
635959P005	Insert	.005" OS on OD	636640M010	Bearing - C/rod	.010" US on ID
635959P010	Insert	.010" OS on OD			
635959P015	Insert	.015" OS on OD			
635959P020	Insert	.020" OS on OD	639650P010	Washer - Thrust	.010" OS
635959P030	Insert	.030" OS on OD	639650P020	Washer - Thrust	.020" OS
			639650P030	Washer - Thrust	.030" OS
635964P005	Ring	.005" OS on OD			
635964P015	Ring	.015" OS on OD	639758P005	Ring - Piston	.005" OS on OD
			639758P015	Ring - Piston	.015" OS on OD
639282P005	Guide - Valve	.005" OS on OD			
639282P010	Guide - Valve	.010" OS on OD	640999M010	Bearing	.010" US on ID
639282P015	Guide - Valve	.015" OS on OD			
639282P020	Guide - Valve	.020" OS on OD	640999A1M010	Bearing Set	.010" US on ID

SECTION V

REPAIR PARTS AND MATERIALS

PART NUMBER	DESCRIPTION	SIZE	ENGINE
642188	Gasket Paste - TiteSeal, Lightweight	1 oz. tube	All
631348A2	Gasket Set - Complete Overhaul	Standard	All
639570A3	Ring Set - Single Piston	Standard	All
639570A3P005	Ring Set - Single Piston	.005" OS on OD	All
639570A3P015	Ring Set - Single Piston	.015" OS on OD	All
632885A1	Bearing Set - Crankshaft	Standard	* All
632885A1M010	Bearing Set - Crankshaft	.010" US on ID	* All
640999A1	Bearing Set - Crankshaft	Standard	LTSIO-360-E
640999A1M010	Bearing Set - Crankshaft	.010" US on ID	LTSIO-360-E
626531-1	Enamel - Gold, Engine	1 Quart	All
626531-2	Enamel - Gold, Engine	1 Gallon	All
535011S	Lockwire - 0.040 in. dia. steel	Order by 1 lb. Roll	All

* All except LTSIO-360-E

SECTION VI

NUMERICAL PARTS LIST

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
AN101114	37-19	4	AN501-10-10	43-08	8
	40-24	4		16-08	8
AN123860	20-20	1	AN501-10-7	27-49	2
	3-16	1	AN520-10R8	26-04	4
AN123861	20-20	1	AN6227-9	35-37	1
AN123862	20-05	2	AN737TW82	36-11	2
AN123864	30-06	1		38-11	4
	10-05	1	AN737TW91	14-11	2
AN123883	27-44	1		37-11	4
AN123902	32-29	1	AN780-2	38-25	6
	33-27	1		15-27	2
	34-28	1	AN816-6-2B	39-26	2
	35-29	1	AN833-6	42-29	1
	12-29	1	AN900-10	35-39	1
	13-29	1		27-17	2
AN3-4A	41-17	4		9-17	2
	41-33	1		9-52	1
	42-16	6		31-07	1
	42-24	1		28-16	2
AN3-6A	38-31	4		28-23	1
AN363-1032	38-33	4		29-16	2
AN365-1032C	41-16	4		11-07	1
AN4-13A	19-11	5	AN900-14	20-18	2
	19-15	1		3-14	2
	2-11	6		9-23	1
AN4-14A	19-15	1	AN900-16	27-23	1
	19-20	1		29-21	1
	19-21	1		29-42	1
	2-15	1		27-39	1
AN4-15A	19-20	1	AN900-28	28-44	1
	19-21	1	AN912-5	9-54	1
	2-20	1		41-28	1
AN4-17A	19-27	3		42-19	1
AN500-10-5	39-24	2	AN915-1	34-36	1
	40-36	2	AN917-1	41-40	1
	15-25	2		41-39	1
AN500-10-8	41-43	1	AN924-6	42-30	1
	42-32	1	AN932C4	35-38	1
AN500A8-10	39-33	4		18-15	2
	40-41	4		1-15	2
	15-34	4		38-32	4
AN500D416-20	25-37	4		26-16	8
	8-39	4		41-32	2
AN500D8-12	20-24	1	AN960-516	42-23	2
	3-20	1		27-50	3
				29-45	3
				28-48	3

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
AN960-516L	14-07	12		34-50	4
AN960-8	20-25	1		27-37	3
	3-21	1		28-40	3
MS122122	25-33	1		11-03	14
	27-13	1		12-41	4
	8-35	1		13-04	1
	9-13	1		13-07	3
	31-06	5		13-50	4
	28-12	1		13-55	8
	29-12	1		20-32	8
	11-06	5		3-28	8
MS122162	27-12	2	MS35338-45	36-08	12
	9-12	2		37-08	12
	28-13	2		38-08	12
	29-13	2		39-03	4
MS20066-98	32-50	1		40-03	4
	13-44	1		27-03	12
MS20822-6	41-29	1		9-03	12
	42-20	1		41-23	1
MS20823-2	40-44	1		43-04	4
MS21044N08	20-26	1		29-46	3
	3-22	1		32-06	3
MS21044N3	41-31	1		32-08	1
	42-15	6		32-31	1
	42-22	1		33-06	3
MS21044N5	39-16	1		33-29	1
	40-17	1		34-06	3
	15-16	1		34-08	1
MS21209C6-15	20-07	1		34-30	1
MS21919DG6	41-34	1		35-06	3
MS21919G16	41-42	1		35-08	1
	42-25	1		35-31	1
	42-31	1		28-03	12
MS29513-010	19-06	20		28-49	3
	2-06	20		29-03	14
MS29513-138	38-29	1		12-04	1
MS35338-43	39-23	2		12-07	3
	40-35	2		12-31	1
	15-24	2		13-31	1
MS35338-44	35-51	4		14-08	12
	36-24	4		15-03	4
	37-21	4		16-04	4
	40-26	4		20-16	4
	25-35	8		3-12	4
	8-37	8	MS35489-11S	37-24	1
	9-48	3	MS35691-402	41-27	1
	41-26	1	MS35756-1	9-37	1
	29-38	3	MS35756-8	35-18	1
	31-03	14		12-25	1
	32-56	8		13-17	1
	32-61	4		13-25	1
	33-46	4		5-04	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
MS9021-028	29-41	1		35-50	4
	27-45	1		36-23	8
	28-43	1		37-20	8
MS9021-038	35-53	1		40-25	8
	32-63	1		9-47	3
	33-48	1		29-37	3
	34-52	1		31-02	14
	12-43	1		32-44	6
	13-57	1		32-55	8
MS90726-38	41-22	1		32-60	4
MS9134-01	35-48	1		33-38	6
	32-53	2		33-45	4
	33-43	1		34-42	6
	34-47	1		34-49	4
	12-38	1		27-36	3
	13-52	1		28-39	3
X12935	36-26	2	21007	20-28	6
	40-28	2		3-24	6
X13041	12-27	1		25-24	1
	13-27	1		8-24	1
	32-20	1	21080	18-04	1
	33-19	1		1-04	1
	34-20	1	21113	9-24	1
	35-17	1		27-24	1
X1473	9-27	1		28-24	1
	28-26	1		29-22	1
X5147	36-27	1	21176	19-11	1
X604	15-08	1	21213	30-04	3
	39-08	1		10-03	3
	40-08	1	21477	25-01	6
13XX18001	20-37	1		8-01	6
	3-33	1	22022	41-02	12
13XX1896	27-52	3		25-39	12
13XX3103	36-22	4		8-41	12
200138	18-03	1	22022	42-02	12
	1-03	1	22139	19-26	4
20202	19-35	4		19-26	6
	2-33	4		2-24	4
2024	18-14	1	22535	20-14	8
	1-14	1		3-10	8
20522	11-02	14	22537	35-44	6
	13-54	8		9-36	4
	19-10	10		32-45	6
	19-14	2		33-39	6
	19-19	2		34-43	6
	19-29	2	2265	11-08	1
	19-32	4		31-08	1
	2-10	12	22910	27-51	3
	2-14	2	24026	25-17	2
	2-19	2		8-17	2
	2-27	2	2437	11-04	14
	2-30	4		12-42	4
	35-43	6		13-56	8

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
2437	14-15	2		29-47	3
	19-12	5		33-08	1
	19-16	1		33-30	1
	19-22	2		34-09	1
	19-28	2		34-31	1
	19-28	3		35-09	1
	19-31	1		35-32	1
	19-34	2		28-04	7
	2-12	6		28-50	3
	2-16	1	2441	2-36	4
	2-22	2		12-46	2
	2-26	2		13-60	2
	2-29	1		19-39	4
	2-32	2		20-11	12
	35-52	4		3-07	12
	36-15	2		35-56	2
	36-25	4		32-66	2
	37-16	2		33-51	2
	37-22	4		34-55	2
	38-15	2	2457	15-07	1
	40-27	4		39-07	1
	25-29	4		40-07	1
	8-31	4	2472	12-40	4
	9-49	3		13-49	4
	31-04	14		20-31	8
	32-09	1		3-27	8
2439	32-57	8	2473	12-03	2
	33-47	4		12-06	3
	34-51	4		12-30	1
	27-38	3		13-03	2
	28-41	3		13-06	3
	29-04	9		13-30	1
	12-05	1		15-02	4
	12-08	3		20-15	4
	12-32	1		3-11	4
	13-05	1		36-07	12
	13-32	1		37-07	12
	14-09	12		38-07	12
	15-04	4		39-02	4
	16-05	4		40-02	4
	20-17	4		27-02	10
	3-13	4		9-02	12
	32-32	1		30-03	3
	36-09	12		32-05	3
	37-09	12		32-07	2
	38-09	12		32-30	1
	39-04	4		33-05	3
	40-04	4		33-07	2
	27-04	7		33-28	1
	09-04	7		34-05	3
	41-24	1		34-07	2
	43-05	4		34-29	1
	29-39	3			

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
2473	35-05	3	401507	19-38	4
	35-07	2		20-10	4
	35-30	1		2-35	4
	28-02	10		3-06	4
	29-02	15	401801	18-05	14
	10-02	3		1-05	14
24827	14-12	6		25-11	4
	36-12	6		8-11	4
	37-12	4		29-09	3
	38-12	6		18-06	3
24835	20-33	8		1-06	4
	3-29	8		27-09	3
24846	18-03	1		9-08	3
24878	2-21	1		28-08	3
24879	19-17	1		29-08	3
	2-17	1	401814	18-07	6
25102	12-37	1		1-07	6
	13-38	1	401836	25-10	2
	32-38	1		8-10	2
	33-33	1	401861	12-13	1
	34-34	1		13-12	1
	35-36	1		32-12	1
25164	19-18	2		33-11	1
	2-18	2		34-12	1
25314	16-39	1		35-12	1
	43-39	1	401862	18-08	1
25316	16-41	1	401870	13-40	8
	43-41	1		32-39	8
25317	16-42	1		33-34	1
	43-42	1		34-35	4
25318	16-43	1		35-35	4
	43-43	1	401871	18-09	3
25320	27-53	1		1-09	3
25321	16-07	8	401885	27-11	4
	43-07	8		9-11	3
352024	16-38	1		28-10	3
	43-38	1		29-10	4
352030	10-09	1	401926	9-10	3
	30-10	1	401933	18-08	1
352066	9-43	1		1-08	1
	29-33	1	401944	18-09	3
352068	10-06	1	401945	18-10	4
	30-07	1		1-10	4
35985	40-22	1	401963	12-36	4
36025	9-35	4		27-10	3
	27-29	4		9-09	3
	28-32	4		28-09	3
	29-27	4	402044	25-12	2
36100	9-41	1		8-12	2
36151E	14-10	10	402066	18-10	4
	36-10	10	402067	28-11	3
	37-10	8		29-11	3
	38-10	8			

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
402127	12-12	1	531001	19-36	4
	13-11	1		25-02	12
	32-11	1		2-34	4
	33-10	1		8-02	12
	34-11	1	531003	25-03	36
	35-11	1		8-03	36
402151	12-14	1	531177	17-06	1
	13-13	1		46-06	1
	18-11	4	531178	17-08	2
	1-11	4		46-08	2
	32-13	1	531325	10-11	1
	33-12	1		30-12	1
	34-13	1	532247	32-52	1
	35-13	1	532377	25-49	6
402439	18-12	3		8-51	6
	1-12	2	532432	20-19	2
402941	13-41	1		3-15	2
	32-40	2		9-20	1
				29-17	2
501867	12-21	1		9-53	1
	13-21	1	534750	16-01	2
	25-28	4		43-01	2
	8-30	4	535091	25-36	4
	32-25	1		8-38	8
	33-24	1		8-38	4
	34-25	1	535631	13-51	4
	35-26	1		32-62	4
502287	12-28	1	536552	12-24	1
	13-28	1		13-24	1
	32-21	1		32-17	1
	33-20	1		33-16	1
	34-21	1		34-17	1
	35-22	1	537299	20-21	1
520112	25-09	2		3-17	1
	8-09	2	537466	19-09	1
522247	13-46	1		2-09	1
530003	9-51	1	537466-1	19-09	1
530011	27-01	1	537728	14-14	2
	9-01	1		19-20	1
	28-01	1		19-21	1
	29-01	1		19-27	2
530213	23-03	2		2-25	2
530406	10-07	1		36-14	2
	30-08	1		37-15	2
530407	10-08	1		38-14	2
	30-09	1	537750	27-06	2
530412	10-12	1	537961	27-05	3
	30-15	1		9-05	5
530455	16-40	1		28-05	5
	43-40	1		29-05	5
530917	21-17	1	538684	23-02	1
	4-17	1	538999	12-10	1
530974	21-18	1		13-09	1
	4-18	1			

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
538999	32-04	1	627119	15-10	1
	33-04	1		39-10	1
	34-04	1		40-10	1
	35-04	1	627331	15-28	4
539058	12-45	2		39-27	4
	13-59	2			
	20-09	8	627392	3-26	1
	3-05	8	627433	12-09	2
	35-55	2		13-08	2
	32-65	2		32-03	2
	33-50	2		33-03	2
	34-54	2		34-03	2
539601	35-25	1		35-03	2
539619	9-22	1	627458	29-20	1
	27-21	1	627593	25-31	1
	28-22	1		8-33	2
539793	35-19	1		8-33	1
539800	12-20	1	627693	25-23	2
	13-20	1		8-23	2
	32-24	1	627694	8-25	2
	33-23	1	627731	25-20	2
	34-24	1		8-20	2
539805	12-26	1	627732	25-18	1
	13-26	1		8-18	1
	32-19	1	627762	27-14	1
	33-18	1		9-14	2
	34-19	1		9-14	1
539916	27-07	1		28-14	1
	9-06	1		29-14	1
	28-06	1	627817	12-17	1
	29-06	1	627860	12-19	1
629495	16-31	6		13-19	1
625495-7	46-03	1		32-23	1
	17-03	1		33-22	1
625957	25-15	2		34-23	1
	8-15	2	627861	35-24	1
625958	25-16	2	627882	12-15	2
	8-16	2		13-14	2
626140	23-04	2		32-14	2
626168	23-	6		33-13	2
626264	11-09	1		34-14	2
	31-09	1		35-14	2
626487	9-36	4	627993	12-01	1
	27-30	4		13-01	1
	28-33	4		32-01	1
	29-28	4		33-01	1
626553	15-33	1		34-01	1
	39-32	1		35-01	1
626557	15-31	1	628056	12-02	1
	39-30	1		13-02	1
	40-38	1		32-02	1
626577-2	26-17	6		33-02	1
626900	40-19	1		34-02	1
				35-02	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY
-------------	----------------	--------------

628059	8-28	2
628071	12-	1
628125	12-34	1
628149	35-20	1
628155-1	35-21	1
628249-5	13-39	2
628436	15-11	1
	40-11	1
	40-13	1
	40-14	1
	40-42	1
628437	15-12	1
	15-18	1
	15-26	1
	39-12	1
	39-18	1
	39-25	1
	40-12	1
	40-20	1
628438	15-13	1
	39-13	1
	40-21	1
	40-29	1
628475	15-09	1
	39-09	1
	40-09	1
628476	39-11	1
628556	36-34	6
	37-34	6
	38-24	6
628740	43-38	1
629004	21-08	8
	4-08	8
629008	43-42	1
629009	43-40	1
629010	43-39	1
629011	43-34	1
629196	20-02	4
629494	16-32	10
	43-32	10
629495	43-31	6
629496	16-30	1
	43-30	1
629498	16-29	6
	43-29	6
629502	16-26	1
	43-26	1
629504	16-24	1
	43-24	1
629505	16-23	1
	43-23	1
629506	16-21	1
	43-21	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY
-------------	----------------	--------------

629518-1H	9-19	1
	39-28	1
	27-19	2
	28-18	2
	15-19	1
	15-29	1
	18-16	1
	1-16	1
	27-16	1
	9-16	1
	28-19	1
	29-18	1
629588	22-05	1
	5-05	1
629602	22-06	1
	5-06	1
629627	5-01	1
629636	20-01	1
	3-01	1
629666	20-06	1
	3-04	1
629671A2	31-	1
	11-	1
629690	24-06	6
	7-06	6
629702	25-06	1
	8-06	1
629707	25-13	1
	8-13	1
629711	25-43	24
	8-45	24
629718	18-01	1
	1-01	1
629720	18-02	1
	1-02	1
629728	19-33	2
	2-31	2
629738	19-23	2
	2-23	2
	19-08	1
	2-08	1
629758-12.60	19-07	1
	2-07	1
629758-12.90	10-04	1
	18-18	6
	18-17	1
629820	1-17	1
629847	14-03	2
629849	36-03	2
629864	37-03	2
	38-03	2
629872	14-05	1
	36-05	1
	38-05	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
629873	14-02	1	630525	17-	2
	36-02	1		46-	2
	38-02	1	630529	17-	2
629925	14-01	6		46-	2
	36-01	6	630535	16-03	4
	37-01	6		43-03	4
	38-01	1	630562	5-02	1
630049	16-06	12	630651	21-09	1
	43-06	12		4-09	1
630057	25-48	6	630657	15-35	1
	8-50	6	630658	15-35	1
630146-16	39-15	1	630659	15-35	1
630146-19	40-06	1	630660	15-35	1
630146-2	39-15	1	630661	15-35	1
	40-16	1	630662	15-35	1
	15-15	1		15-35	1
630146-4	39-06	1	630678	24-05	6
	15-06	1		7-05	6
630184	15-32	1	630680	12-18	1
	39-31	1		32-22	1
	40-39	1		33-21	1
630204	18-19	1		34-22	1
	1-19	1		35-23	1
630261-41	21-05	4	630687	7-01	6
	4-05	4	630688	20-22	1
630261-43	21-05	2		3-18	1
	4-05	2	630689	20-23	1
630261-44	21-06	2	630690	3-19	1
	4-06	2		21-15	1
630262	8-07	1	630692	4-15	1
	25-07	1		21-16	4
630265	22-07	1	630742	4-16	4
	5-07	1		22-03	4
630286	25-41	12	630860	5-03	4
	8-43	12	631252	13-18	1
630365	41-01	12		12-23	1
	25-38	6		13-23	1
	8-40	6		32-16	1
	42-01	12		33-15	1
630393	25-45	12	631253	34-16	1
	8-47	12	631254	35-16	1
630415	9-18	1	631302	35-	1
	9-20	1	631330	9-46	1
	27-18	2		15-30	1
	28-17	2		39-29	1
630421	36-20	1	631351A5	40-37	1
630476	25-	2	631351A7	15-	1
	8-	2		39-	1
630523	17-05	1	631654	15-	1
	46-05	1		25-19	1
				8-19	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
631687	9-21	1	632373	28-51	1
	27-20	1	632407	13-	1
	28-20	1	632409	13-34	1
	29-19	1		32-34	1
631720	15-29	1		33-32	1
	39-28	1		34-33	1
631737-1	43-37	2		35-34	1
	16-37	2	632410	13-35	1
631738-1	43-36	2		32-35	1
	16-36	2	632411	13-36	1
631739	16-35	2	632412	13-37	1
	43-35	2		32-37	1
631801	9-34	1	632440	25-34	8
631803	9-29	1		8-36	8
631804	9-32	1	632443-3	9-39	1
631823-5.19	19-30	1		27-33	1
	2-28	1		28-36	1
631874	14-04	1	632470	9-34	1
	36-04	1	632475	9-46	1
	38-04	1		27-35	1
631875	14-06	1		28-38	1
	36-06	1	632477	22-02	1
	38-06	1		5-02	1
631904	27-46	1	632492	9-33	1
631991	25-25	2	632497	9-29	1
	8-26	2	632512	16-06	12
631996	25-27	4		43-06	12
	8-29	4	632550	9-38	1
632017	34-37	1	632560	9-41	1
632050	10-10	2		27-34	1
	30-11	2		28-37	1
632068	25-21	1	632612	13-45	1
	8-21	1	632613	13-43	1
632074	9-15	1		32-15	1
632137	25-46	2	632615	13-16	1
	8-48	2	632617	13-42	1
632141	25-40	12	632758	42-28	1
	8-42	12	632762	9-28	1
632147-10	15-36	1		28-27	1
632248	25-47	3	632857	21-10	6
	8-49	3		4-10	6
632310	25-30	2	632879	21-13	4
	8-32	2		4-13	4
632317	25-42	12	632885	21-11	2
	8-44	12		4-11	2
632321-.38	20-39	4	632886	20-30	1
	3-35	4		3-26	1
632344	9-15	1	632945	15-01	1
	28-15	1		39-01	1
632346	9-	1		40-01	1
632372	20-29	1	632983	20-35	1
	3-25	1		3-31	1
632373	29-48	1	632987-1.00	20-36	1
	27-42	1		3-32	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
633009	16-28	1	633612	27-28	1
	43-28	1		28-31	1
633012	16-27	1		29-26	1
	43-27	1	633626A1	32-	1
633019	25-	1	633627	32-48	1
	8-	1	633628	32-	1
633089	16-22	1	633629	32-43	1
	43-22	1	633630	32-	1
633096	16-25	1		33-	1
	43-25	1		34-	1
633106	22-08	12		35-	1
	5-08	12	633632	32-42	1
633280	12-35	1		33-36	1
633342	35-47	1		34-40	1
	33-42	1		35-41	1
	34-46	1	633636	33-	1
633342-1	27-31	1		34-	1
	28-34	1	633637	33-37	1
	29-29	1		34-41	1
633342-10	32-18	1		35-42	1
	33-17	1	633661	10-04	1
	34-18	1	633687	32-36	1
	22-04	1	633734	27-48	1
633342-6	32-28	1	633735	27-47	1
633358	41-19	2	633751	13-48	1
	42-18	2		32-59	1
633428	24-01	6	633752	13-47	1
633485	36-28	2		32-58	1
	37-26	1	633761A1	20-	1
	38-20	2	633795	19-37	2
633542	33-26	1	633819	36-21	1
	34-27	1		40-23	1
	35-28	1	633840	17-01	2
633547	32-27	1		46-01	2
633602	9-29	1	633845	12-22	1
	27-25	1		13-22	1
	28-28	1		32-26	1
	29-23	1		33-25	1
633608-12	39-35	1		34-26	1
	40-46	6		35-27	1
633609-18	46-07	1	633848	33-	1
	17-07	1		34-	1
633609-7	32-47	1	633856	35-46	1
633610	27-	1		33-41	1
	9-	1		34-45	1
	28-	1	633867	39-34	1
	29-	1	633869	36-29	1
633611	9-31	1	633871	36-18	1
	27-27	1		38-18	1
	28-30	1	633872	36-16	1
	29-25	1	633872	38-16	1
633612	9-34	1	633874	18-18	6
	32-49	1	633877	39-34	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
633878	39-34	1	635048A8	34-	1
633879	39-34	1	635168-14.00	15-21	1
633880	39-34	1	635168-16.00	39-19	1
633881	39-34	1		39-20	1
633901	36-31	6		15-20	1
	37-31	6	635168-22.00	39-20	1
	38-21	6	635218-6-15.00	41-37	1
633954	15-23	1	635218-6-30.00	42-33	1
	39-22	1	635218-6-36.00	41-44	1
	40-34	1	635360	16-34	2
633958-3	36-30	2		43-34	2
	36-32	6	635796	30-	1
	37-30	2	635798A3	39-	1
	37-32	6	635959	25-05	1
	38-22	6		8-05	1
633958-5	36-17	2	635964	24-04	6
	36-19	2		7-04	6
	37-28	2	635982-1	43-33	2
	38-17	2		16-33	2
	38-19	2	636349	40-18	1
633962	10-04	1	636950	16-	1
	30-05	1		43-	1
633976	21-07	8	636955	16-	1
	4-07	8	637083	9-22	1
634010	9-38	1	637409-40	16-19	1
	27-32	1	637409-48	43-09	1
	28-35	1		43-09	1
	29-30	1		43-10	1
634325	39-32	1		43-10	1
	40-40	1		43-11	1
634536	34-38	1		43-11	1
634592	12-44	1		43-12	1
	35-54	1		43-12	1
	34-53	1		43-13	1
634598	30-14	1		43-13	1
634628	40-43	1		43-14	1
634913	3-23	1		43-14	1
634915	3-23	1		43-15	1
634916	3-23	1		43-15	1
634973	20-27	1		43-16	1
634974	20-27	1		43-17	1
635002	27-22	1		43-17	1
	28-21	1		43-19	1
635048	12-	1		43-19	1
	13-	1		16-09	1
	32-	1		16-09	1
	33-	1		16-10	1
	34-	1		16-10	1
	35-	1		16-11	1
635048A1	12-	1		16-11	1
635048A2	32-	1		16-12	1
635048A3	13-	1		16-12	1
635048A4	33-	1		16-13	1
635048A7	35-	1		16-13	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
637409-48	16-14	1	639289A7	39-	1
	16-14	1	639292	10-13	1
	16-15	1		23-05	12
	16-15	1		30-16	1
	16-16	1	639305	20-34	1
	16-16	1		3-30	1
	16-17	1	639361	37-25	1
	16-17	1	639362	37-27	1
	16-18	1	639413	37-02	1
	16-19	1		37-05	1
637409-72	43-16	1	639495	15-17	1
	43-18	1		39-17	1
	43-18	1	639508-1A1	39-	1
637409-72	43-20	1	639508-2A1	40-	1
	43-20	1	629508-3A1	40-	1
	16-18	1	639508-4A2	39-	1
	16-20	1	639570	24-02	6
	16-20	1		7-02	6
637579	21-14	4	639579	24-03	6
	4-14	4		7-03	6
637826	20-03	1	639580	21-02	4
	3-02	1		4-02	4
637827	20-04	1	639640	21-12	12
	3-03	1		4-12	12
637847	12-44	1	639648	25-	2
	13-58	1	639650	25-26	4
	32-64	1	639660-1	37-13	2
	33-49	1		38-26	3
638157-2A1	15-	1	639689	37-29	1
638172	17-09	4	639786	21-	1
	46-09	4		4-	1
639198	21-04	4	639997	20-13	1
	4-04	4		3-09	1
639199	21-	2	640017-1	18-13	36
	4-	2		1-13	36
639200	21-	1	640110	37-23	1
	4-	1	640191	3-23	1
639202	37-06	1	640192	3-23	1
639203	37-04	1	640216	27-15	1
639207	37-17	1		28-15	1
639230A2	15-	1	640380	12-39	1
639231A2	15-	1		13-53	1
639241	37-18	1		35-49	1
639279	19-17	1		32-54	2
639282	25-08	1		33-44	1
	8-08	1		34-48	1
639283	25-14	1	640475	18-	1
	8-14	1	640479	1-	1
639284	20-27	1	640563-2A1	39-	1
639289A4	40-	1		15-	1
639289A5	40-	1	640563-2A5	40-	1
639289A6	39-	1	640563-4A4	39-	1
			640563-4A6	39-	1

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
640573	20-27	1	640964-410	41-14	4
640612	36-33	6		42-13	6
	37-33	6	640999	21-11	2
	38-23	6	641032-2-11	40-	1
640616	27-	1	641032-2-13	39-	1
640651	22-01	1	641033	29-15	1
640703	27-55	1	641034	18-17	1
640758	19-25	1	641035	20-23	1
640759	19-24	1	641058	20-27	1
640834	29-40	1	641059	20-27	1
	28-42	1	641060	22-01	1
640838	16-02	2		5-01	1
	16-02	1	641063	41-30	1
	43-02	2	641067	41-35	1
	43-02	1	641068	41-36	1
640839	16-02	1		42-26	1
	43-02	1	641074	9-25	1
640841	28-	1	641075	28-24	1
640849	9-	1	641075	9-26	1
640857	18-	1	641078	28-25	1
640861	18-	1	641082	35-	1
640896-1	43-02	2	641084	40-30	1
640896-2	43-02	2	641085	40-31	1
640923	29-	1	641093	40-32	1
640924	29-	1	641094	40-45	1
640925	29-36	1	641095	40-45	1
640926	29-30	1		39-34	1
640952	38-27	1	641096	40-45	1
640953	20-08	1	641097	40-45	1
640955	41-18	1	641098	40-45	1
	42-17	1	64110046S-16.00	42-27	1
640962-1	19-07	1	641103	35-	1
640962-2	19-08	1	641106	26-06	4
640964-101	41-03	1	641107	26-07	1
	42-03	1	641108	43-	1
640964-102	41-04	1	641109	26-01	1
	42-04	1	641124	20-23	1
640964-103	41-05	1	641159	28-15	1
	42-05	1	641161	41-38	1
640964-104	41-06	1	641166	26-03	4
	42-06	1	641285	41-21	1
640964-105	41-07	1	641286	41-20	1
	42-07	1	641287	26-02	4
640964-106	41-08	1	641288	38-28	1
	42-08	1	641330	26-14	2
640964-107	41-09	1	641332	26-13	2
640964-108	41-10	1		26-15	2
640964-109	41-11	1	641341	26-05	4
640964-110	41-12	1	641343	26-12	1
640964-119	41-13	1	641344	26-09	2
640964-409	41-15	2	641346	26-10	4
	42-14	3	641347	26-11	4

PART NUMBER	FIGURE & INDEX	QTY PER ASSY	PART NUMBER	FIGURE & INDEX	QTY PER ASSY
641349	26-08	1	641859	20-08	1
641361	20-38	1	641862	22-09	1
	3-34	1		5-09	1
641368	12-16	1	641870	11-01	1
	13-15	1		31-01	1
	32-15	1	641877	42-21	1
	33-14	1	641894	20-03	1
	34-15	1	641895	20-01	1
	35-15	1	641896	20-04	1
641370	25-	1	641911-020	42-11	1
	8-	1	641911-030	42-12	1
641370A1	25-	1	641911-108	42-09	1
	8-	1	641911-109	42-10	1
641382	21-	1	641912	42-	1
641385	41-25	1	641913	38-28	1
641404-1	38-30	1	641944-10.18	19-03	1
641411	39-34	1		2-03	1
641412	39-34	1	641944-10.55	19.04	1
641413	39-34	1		2-04	1
641414	39-34	1	641944-10.68	19.05	4
641415	39-34	1		2-05	4
641531	9-	1	641944-5.86	19.01	2
	29-34	1		2-01	2
641533	9-45	1	641944-9.25	19-02	2
	29-35	1		2-02	2
641535-1RH	9-40	1	641956	20-27	1
	29-31	1	641976	3-23	1
641535-2LH	29-31	1	642063	20-30	1
641538	9-42	1	642211	41-41	1
	29-32	1			
641574	28-46	1			
641575	28-47	1			
641576	29-44	1			
641583	29-49	1			
	27-54	1			
	28-52	1			
641607	25-44	12			
	8-46	12			
641614	27-43	1			
641651	20-12	1			
	3-08	1			
641669	30-05	1			
641705	3-23	1			
641734	27-	1			
641798	9-	1			
641801	9-	1			
641802	28-	1			
641803	28-	1			
641835	29-43	1			
	28-45	1			
	9-55	1			
	27-40	1			

SECTION VII

CUSTOMERS SPECIFICATIONS

The following pages contain, in tabulated form, the various customer specifications of the basic IO-360/TSIO-360 aircraft engines.

If the customer specification number does not appear on the engine nameplate, check the serial number and locate the customer spec in the serial number to customer spec cross reference list in Section I. All engines manufactured after January 1973 have the customer spec number stamped on the nameplate.

In some instances, certain accessories are furnished by the aircraft manufacturer. If an accessory on the engine does not appear on the customer spec, determine whether it is available from the aircraft manufacturer.

CONTINENTAL MODEL 10-360-C
(SPECIFICATIONS NOT SHOWN SAME AS BASIC ENGINE)

CONTINENTAL MODEL IO-360-D

(SPECIFICATIONS NOT SHOWN SAME AS BASIC ENGINE)

Spec. Number	Alternator	Crankcase Assembly	Tube - Oil Filler Neck	Cap - Oil Filler Neck	Rod Gauge	Starter	Magneto	Throttle and Assembly	Control Assembly	Fuel Injection	Assembly A
5	633962										
6	633962	641798	632074	640620-6	632062-1A1						
7	633962									640839	
8	633962									640838	
9	634442										
11	634442										
12	633661	641798	632074	640620-6	632062-1A1	634592					
15		641801									640563-3A1
16	633661	641798	632074	640620-6	632062-1A1	628482					
17	633661	641798	632074	640620-6	632062-1A1	628482					
18	634442										
19	634442										
20	633661	641798	632074	640620-6	632062-1A1						
21	633962	641798	632074	640620-6	632062-1A1						
23										640838	
25	634442									640839	
26	633962	641798	632074	640620-6	632062-1A1						

CONTINENTAL MODEL IO-360-D

(SPECIFICATIONS NOT SHOWN SAME AS BASIC ENGINE)

Fee Service Bulletin M74-13

A

CONTINENTAL MODEL IO-360-G

(SPECIFICATIONS NOT SHOWN SAME AS BASIC ENGINE)

Spec. Number	Crankcase Assembly	Tube - Oil	Filler Neck	Cap - Oil	Oil Gauge Assembly	Rod Assembly	Fuel Injection Assembly	Assembly A
2	641801	632343	640620-1	632062-1A1				

See Service Bulletin M74-13

8

CONTINENTAL MODEL IO-360-H
(SPECIFICATIONS NOT SHOWN SAME AS BASIC ENGINE)

CONTINENTAL MODEL IO-360-J
FICATIONS NOT SHOWN SAME AS BASIC ENGINE)

(SPECIFICATIONS NOT SHOWN SAME AS BASIC ENGINE)

Ieee Service Bulletin M74-13

8

CONTINENTAL MODEL TSIO-360-A
(SPECIFICATIONS NOT SHOWN SAME AS BASIC ENGINE)

Spec. Number	Starter	Magneto	Fuel Injection	Assembly
2	634592	640839 640838	640839 640838	A
	3			

CONTINENTAL MODEL TSI0-360-B

(SPECIFICATIONS NOT SHOWN SAME AS BASIC ENGINE)

See Service Bulletin M74-13

A

